

88 036

REPORT ON WINE HARBOUR WEST

LICENSES 11325 and 12364

BY

SEABRIGHT EXPLORATIONS INC.
LOWER SACKVILLE, NOVA SCOTIA

January 1988

A. J. Sexton

88 036

PROJECT 194
WINE HARBOUR WEST
ASSESSMENT REPORT ON
1987 EXPLORATION PROGRAM
GENERAL EXPLORATION LICENSES 11325 AND 12364
GUYSBOROUGH COUNTY, NOVA SCOTIA
NTS: ~~LLP14B~~ ^{9 11P42}
LATITUDE: 45° 04' 30" NORTH
LONGITUDE: 61° 53' 25" WEST

BY

SEABRIGHT RESOURCES INC.
LOWER SACKVILLE, NOVA SCOTIA

January 26, 1988

A. J. Sexton
Sr. Project Geologist

RECEIVED
FEB 1 14 58 '88
MINES
AND ENERGY

DUPLICATE AVAILABLE

TABLE OF CONTENTS

| | Page |
|--|------|
| 1. List of Figures | i |
| 2. List of Tables | i |
| 3. List of Maps | i |
| 4. List of Appendices | i |
| 5. Summary | 1 |
| 6. Location and Access | 2 |
| 7. Physiography | 2 |
| 8. Ownership and Land | 2 |
| 9. General Geology | 7 |
| Regional Geological Setting | 7 |
| Local Geology | 8 |
| Economic Geology | 8 |
| Quaternary Geology | 9 |
| 10. Synopsis of 1987 Exploration Program | 10 |
| 11. Synopsis of Geochemistry Survey | 11 |
| 12. Conclusions | 12 |
| 13. Recommendations | 12 |
| 14. References | 13 |
| 15. Statement of Qualifications | 15 |

LIST OF FIGURES

| | Page |
|---|------|
| Figure 1 Wine Harbour Area Location Map, 1:500,000 | 3 |
| Figure 2 Exploration Licenses 11325 and 12364 Location Map, 1:31,680 | 4 |

LIST OF TABLES

| | Page |
|--|------|
| Table 1 Claims for Licenses 11325 and 12364 | 5 |

LIST OF MAPS

| | |
|---|-----------|
| Map 1 ✓ Soil and Till Sample Locations and Results, 1:10,000 | In Pocket |
|---|-----------|

LIST OF APPENDICES

| | |
|--------------|---|
| Appendix I | Personnel |
| Appendix II | Analytical Results Wine Harbour West Property, Soil Geochemistry, November-December, 1987 |
| Appendix III | Analytical Results, Wine Harbour West Property, Till Geochemistry, November-December, 1987 |
| Appendix IV | List of Expenditures |

SUMMARY

The mineral rights to Licenses 11325 and 12364 were transferred from Mr. Trenholme Lodge to Seabright Explorations Inc. on October 30, 1987. Seabright carried out a reconnaissance exploration program on the property during late November and early December 1987.

The program consisted of prospecting and a reconnaissance soil/till geochemistry survey.

The most significant result of the program was a single till (HMC) sample anomaly of 36 ppb approximately 500 metres down-ice of the projected axis of the Wine Harbour Anticline.

LOCATION AND ACCESS

Exploration Licenses 11325 and 12364 are located about 145 ENE of Halifax in Guysborough County, Nova Scotia (Figure 1). The property is centered at 45° 04' 30" north latitude and 61° 53' 25" west longitude on NTS Map Sheet 11F/4.

Road access to the property is excellent, but is limited on the property. Two logging roads built and maintained by Scott Paper International Inc. cross only the eastern and western ends of the property.


PHYSIOGRAPHY

The topography of this property consists of low rolling hills and wet swampy regions. The relief of the area is controlled by the bedrock structure and composition. Greywacke ridges are often bordered by swamps which are underlain by less competent easily weathered argillite beds.


A till sheet 3-5 m thick covers almost 100% of the area, while vegetation is a mixed hardwood-softwood forest. The mixed forest covers the areas of high elevation, while the lowlands are spruce swamps and peat bogs.


OWNERSHIP AND LAND

Seabright Explorations Inc. owns the mineral rights to forty-six (46) mineral claims, covering 744 hectares, held under General Exploration License Nos. 11325 and 12364 (Figure 2). These mineral claims were transferred from Mr. Trenholme Lodge to Seabright Explorations Inc. on October 30, 1987. The licenses were issued on January 3 and 9, 1987, respectively. Table 1 is a summary of the property status as of January 3, 1988.



SEABRIGHT EXPLORATIONS INC.
LOCATION MAP
FIG. 1



 **SEABRIGHT RESOURCES INC.**

WINE HARBOUR WEST PROJECT

LOCATION OF LICENSE NOS. 11325 AND 12364

| | | |
|---------------|---------------|----------------|
| WORK BY GB | REVISED | SCALE 1:31,680 |
| DRAFTED BY WC | PROJECT 194 | FIGURE |
| DATE JAN/88 | N.T.S. 11F/4B | 2 |

TABLE 1
CLAIMS FOR LICENSE 11325 AND 12364

| License No. | Map | Tract | Claims | Exp. Date | Year |
|-------------|--------|-------|--------|-----------|------|
| 11325 | 11F/4B | 67 | NOP | 3 January | 1988 |
| 12364 | 11F/4B | 65 | All | 9 January | 1988 |
| | | 66 | All | | |
| | | 67 | DEM | | |
| | | 79 | ABCD | | |
| | | 80 | ABCD | | |

Total: 46 Claims = 744 hectares

The claims surrounding the area are all staked. Acadia Mineral Ventures Ltd. and J. H. MacMillan own the claims east of this property. Seabright Explorations Inc. own the remaining claims. Surface rights within the property are held by Scott Paper International Inc., the Crown and private individuals.

GENERAL GEOLOGY

Regional Geological Setting

The Meguma Terrane (Keppie, 1982) is the most southerly zone of the Canadian Appalachian province and is only found in mainland Nova Scotia. The boundary between Meguma and Avalon Terranes is marked by the Minas Geofracture System (Keppie, 1979).

Sedimentary strata of southern Nova Scotia is dominated by the Lower Paleozoic Meguma Group. These strata are characterized by interbedded turbiditic greywackes and slates. The Goldenville Formation, which is dominated by greywacke, forms the lower part of the group. Although the true stratigraphic thickness of this formation is not known (the base is nowhere exposed) best estimates indicate a thickness greater than 560 meters. Conformably overlying the Goldenville formation is the slate-dominated Halifax Formation with a stratigraphic thickness of about 4400 meters. Together, these two formations constitute about 50% of southern Nova Scotia. The gold deposits of Nova Scotia are primarily restricted to the Goldenville Formation, but significant gold mineralization occurs in the Halifax Formation. The transitional contact between the Goldenville and Halifax Formations is in part manganese rich and is known locally for minor concentrations of zinc and tungsten (Smith, 1986).

The Meguma Group has historically been known for its gold mineralization. More than sixty small deposits have yielded slightly more than 1,200,000 ounces of gold. Of this, one deposit alone (Goldenville) has contributed about 18% (209,000 oz) of the total production. In general the gold has been regarded as being restricted to quartz veins in the anticlinal hinges of major folds. Although it is true that there is a strong association with quartz veins, gold also occurs within pelitic strata. Free gold is found in quartz veins, adjacent to veins, in wall rocks, in and adhered to sulphides, and within or crosscutting silicate minerals (Smith and Kontak, 1986).

Recent geological investigations had documented the presence of large alteration zones surrounding the gold deposits. These halos and the presence of numerous vein systems indicate that high fluid systems may be responsible for the formation of gold deposits in the Meguma Terrane (Smith and Kontak, 1986).

Pervasive polyphase deformation was superimposed on the Meguma Group strata during the Devonian Acadian Orogeny. A series of northeasterly trending isoclinal folds were formed during this Orogeny. Structural elements within the southeastern Meguma Terrane record five stages of deformation (Smith, 1983; O'Brien, 1983; Keppie, 1983; Smith et.al., 1985) although all these fabrics have not been observed within individual gold districts (Smith and Kontak, 1986; Smith and Kontak, 1987). Northwest trending sinistral faults have displaced the fold trends up to 6 km.

The Meguma Group has undergone greenschist and amphibolite facies regional metamorphism during the Devonian Acadian Orogeny. Index minerals which define the isograd boundaries include chlorite, biotite, garnet, cordierite, staurolite and andalusite. Sillimanite is present in the southwestern part of the province. Regional metamorphic isograds are cut by Devonian-Carboniferous granitoid intrusions thus confining the age limits of metamorphism. Cordierite and andalusite are common contact minerals. These granitoid plutons were passively intruded throughout the Meguma Terrane during the Acadian Orogeny. Their importance to Sn, W, U, Mo and other mineralization has been well documented.

Local Geology

The property is underlain entirely by metasedimentary rocks of the Goldenville Formation (Map 1). These metasedimentary rocks were folded and regionally metamorphosed, to lower greenschist facies, during the Acadian Orogeny (415 Ma).

Economic Geology

Present interest in this property is due to the possibility of the Wine Harbour Anticline lying within the property.

Quaternary Geology

The property is covered by a 3-5 m thick till sheet. There is one direction of glaciation in the Wine Harbour area, Stea, et.al., (1979). Drumlins, trending $140^{\circ} \pm 5^{\circ}$, are the evidence for this ice direction. The property is covered by the quartzite till of Stea et.al., 1979. This till can be seen on roadcuts of the logging roads and is a light brown, sandy till with a low compaction and is thought to be an ablation till. On the average the till contains greywacke clasts (15%) with a minor amount of granitic and sedimentary clasts (15%). The till matrix consists of sand (70%), silt (20%) and clay (10%).

SYNOPSIS OF 1986 EXPLORATION PROGRAM

The 1987 exploration program was conducted during late November and early December. The work consisted of:

1. Prospecting.
2. Reconnaissance soil geochemistry survey (Map 1).
3. Reconnaissance till geochemistry survey (Map 1).

The personnel who participated in the 1987 exploration program are listed in Appendix I.

SYNOPSIS OF GEOCHEMISTRY SURVEY

A reconnaissance "B" horizon soil and "C" horizon till sampling program was conducted over the northern portion of this property. Fifty-eight (58) "B" horizon soil and "C" horizon till (HMC) samples were collected at 250 metre stations along east-west (090°) lines 100 to 300 metres apart. See Map 1 for sample locations and gold results.

Only one till (HMC) sample was anomalous (ie. greater than 10 ppb gold). This anomaly, 36 ppb, occurs about 500 metres down-ice of the projected axis of the Wine Harbour Anticline.

The Kraft size, "B" horizon, soil samples were collected from hand dug pits, 10-30 cm deep. Sample preparation was performed by Bondar-Clegg and Company Ltd. in Bedford, N. S. Samples were then sent to Bondar-Clegg in Ottawa, Ontario for Au, W, Sb and As analysis. See Appendix II for a description of these methods and analytical methods.

The large (5 kg), "C" horizon, till samples were collected from hand dug pits, 40-100 cm deep. Initial sample preparation of these tills was performed at Seabright's Gays River Lab. The samples were sieved to the -20 + 150 size range and then a heavy mineral concentrate (HMC) was obtained by a concentrating process known as elutriation. The HMC sample obtained weights approximately 30 g. The samples were then sent to Bondar-Clegg in Ottawa, Ontario for Au, W, Sb and As analysis. See Appendix III for a description of these analytical methods and results. All material which was not in the HMC sample was retained at Gays River for future reference.

CONCLUSIONS

Reconnaissance sampling of the "B" horizon soil and "C" horizon till profiles defined only one till (HMC) anomaly of 36 ppb gold. However, the till on this property may not be local in origin. Therefore, further work is required to better define the nature of the till profile. The location and gold-bearing potential of the Wine Harbour Anticline must also be determined.

RECOMMENDATIONS

1. Conduct ground geophysical surveys (Mag and VLF-EM) in the area of the project Wine Harbour Anticline.
2. Conduct a back-hoe pitting program to evaluate the till profile, bedrock geology and any new ground geophysical anomalies in the area of the project Wine Harbour Anticline.

REFERENCES

Faribault, E. R., 1893

Guysborough County Sheet, Guysborough County, Nova Scotia, G.S.C.
Map 29

Keppie, J. D., (compiler) 1979

Geological Map of Nova Scotia, Nova Scotia Department of Mines
and Energy, Scale 1:500,000

Keppie, J. D., (compiler) 1982

Lineament Map of Nova Scotia, Nova Scotia Department of Mines and
Energy, Scale 1:1,000,000

Keppie, J. D., (compiler) 1979

Geological Map of Nova Scotia, Nova Scotia Department of Mines
and Energy, Scale 1:500,000

Keppie, J. D., (compiler) 1982

Lineament Map of Nova Scotia, Nova Scotia Department of Mines and
Energy, Scale 1:1,000,000

Keppie, J. D., (compiler) 1983

Geological History of the Isaacs Harbour Area, parts of 11F/3 and
11F/4, Guysborough County, Nova Scotia; in Mines and Minerals
Branch, Report of Activities, 1982, ed. K. A. Mills; Nova Scotia
Department of Mines and Energy, Report 83-1, p. 109-143

O'Brien, B. H., 1983

The Structure of the Meguma Group between Gegogan Harbour and
Country Harbour, Guysborough County; in Mines and Minerals
Branch, Report of Activities, 1982, ed. K. A. Mills; Nova Scotia
Department of Mines and Energy, Report 83-1, p. 145-181

Smith, P. K., 1983

Geology of the Cochrane Hill gold deposit, Guysborough County, Nova Scotia; in Mines and Minerals Branch, Report of Activities, 1982, ed. K. A. Mills; Nova Scotia Department of Mines and Energy, Report 83-1, p. 225-256

Smith, P. K., Haynes, S. J. and Reilly, B. A., 1985

Turbidite hosted gold deposits, Meguma Domain, eastern Nova Scotia; Geological Association of Canada, Mineralogical Association of Canada Joint Annual Meeting, Fredericton, New Brunswick, Excursion 11, 67 p.

Smith, P. K., 1986

General geology of the Meguma Group, Southern Nova Scotia; Canadian Institute of Mining and Metallurgy, Fifth District One Meeting, Halifax, Nova Scotia, Meguma gold Tour, 17 p.

Smith, P. K. and Kontak, D. J., 1986

Meguma Gold Studies: Advances in geological insight as an aid to gold exploration; in Mines and Minerals Branch, Report of Activities 1986, ed. J. L. Bates and D. R. MacDonald; Nova Scotia Department of Mines and Energy, report 86-12, p. 105-113

Smith, P. K. and Kontak, D. J., 1987

Meguma Gold Studies: Some basic observations, in Mines and Minerals Branch, Report of Activities, 1987, Part A, ed. J. L. Bates and D. R. MacDonald; Nova Scotia Department of Mines and Energy, Report 87-5, p. 69-78

Stea, R. R. and Fowler, J. H., 1979


Minor and Trace Element Variations in Wisconsinan Till, Eastern Shore Region, Nova Scotia; Nova Scotia Department of Mines and Energy, Report 79-4, 33 p.

STATEMENT OF QUALIFICATIONS

1. I am a graduate of St. Mary's University, from which I received a B.Sc. (Honours) degree in Geology in 1982. I am currently finishing my M.Sc. in geology at Acadia University. I have been involved in mineral exploration since 1979. during this time I spent the first three field seasons, 1979-1981, as a Geological Assistant and the last five field seasons, 1982-1986, as a Geologist. I am currently employed as a Senior Project Geologist with Seabright Resources Inc.

2. I am an active member of the following: CIM, MSNS, CMRNS, and PDA.

Respectfully submitted,



Alan J. Sexton

January 26, 1988

APPENDIX I

PERSONNEL

The following personnel participated in the 1987 Exploration Program:



| | | |
|---------------|--------------------------|-----------------|
| Alan Sexton | Senior Project Geologist | Bedford, N. S. |
| Kirk Woodman | Geologist | Halifax, N. S. |
| Herb McDaniel | Geologist | Halifax, N. S. |
| Tom McNeil | Geologist | Halifax, N. S. |
| Brian Eddy | Geologist | Sydney, N. S. |
| Greg Bourque | Jr. Geological Assistant | Yarmouth, N. S. |

APPENDIX II

ANALYTICAL RESULTS, WINE HARBOUR WEST PROPERTY
SOIL GEOCHEMISTRY, NOVEMBER - DECEMBER 1987

Bondar-Clegg & Company Ltd.

5420 Canotek Rd.,
Ottawa, Ontario,
Canada K1J 8X5
Phone: (613) 749-2220
Telex: 053-3233



BONDAR-CLEGG

**Geochemical
Lab Report**

JAN 13 1993

SEABRIGHT RESOURCES
GREG ISENR
11 GLENDALE AVE
LOWER SACKVILLE, N.S.
B4C 3P2

+


+

+

+

+

Bondar-Clegg & Company Ltd.
 5420 Canotek Rd.,
 Ottawa, Ontario,
 Canada K1J 8X5
 Phone: (613) 749-2220
 Telex: 053-3233



**Geochemical
 Lab Report**

REPORT: 067-7612 (COMPLETE)

REFERENCE INFO:

CLIENT: SEABRIGHT RESOURCES
 PROJECT: 11-194-33 WINE

SUBMITTED BY: D. GRAHAM
 DATE PRINTED: 6-JAN-88


| ORDER | ELEMENT | NUMBER OF ANALYSES | LOWER DETECTION LIMIT | EXTRACTION | METHOD |
|-------|----------------|--------------------|-----------------------|------------|--------------------|
| 1 | As Arsenic | 58 | 1 PPM | | Neutron Activation |
| 2 | Sb Antimony | 58 | 0.2 PPM | | Neutron Activation |
| 3 | W Tungsten | 58 | 2 PPM | | Neutron Activation |
| 4 | Au Gold | 58 | 5 PPB | | Neutron Activation |
| 5 | WT Test Weight | 58 | 0.01 g | | |

| SAMPLE TYPES | NUMBER | SIZE FRACTIONS | NUMBER | SAMPLE PREPARATIONS | NUMBER |
|--------------|--------|----------------|--------|---------------------|--------|
| SOIL | 58 | -80 | 58 | DRY, SIEVE -80 | 58 |

REMARKS: < MEANS LESS THAN

REPORT COPIES TO: MR. DAVID DUNCAN
 NICOLA MCPHEE
 GREG ISENROR
 D. GRAHAM
 D. GRAHAM
 D. GRAHAM


INVOICE TO: NICOLA MCPHEE



REPORT: 067-7612

PROJECT: 11-194-33 WINE PAGE 1



| SAMPLE NUMBER | ELEMENT UNITS | As PPM | Sb PPM | W PPM | Au PPH | WT g |
|---------------|---------------|--------|--------|-------|--------|-------|
| AB 18801 | | 10 | 0.4 | <2 | <5 | 9.55 |
| AB 18802 | | 10 | 0.3 | 2 | <5 | 10.19 |
| AB 18803 | | 14 | 0.2 | 3 | 6 | 8.06 |
| AB 18804 | | 11 | 0.2 | 3 | <5 | 8.60 |
| AB 18805 | | 21 | 0.3 | 3 | 7 | 8.17 |
| AB 18806 | | 31 | 0.5 | 4 | <5 | 7.99 |
| AB 18807 | | 19 | 0.4 | 3 | 6 | 9.41 |
| AB 18809 | | 9 | 0.3 | <2 | <5 | 8.51 |
| AB 18810 | | 10 | 0.5 | <2 | <5 | 9.20 |
| AB 18811 | | 8 | 0.3 | <2 | <5 | 10.37 |
| AB 18812 | | 10 | 0.5 | <2 | <5 | 12.85 |
| AB 18813 | | 17 | 0.4 | <2 | <5 | 8.38 |
| AB 18814 | | 8 | 0.3 | 3 | <5 | 9.49 |
| AB 18815 | | 8 | 0.4 | 3 | <5 | 7.96 |
| AB 18816 | | 16 | 0.5 | <2 | <5 | 7.57 |
| AB 18817 | | 25 | 0.5 | <2 | <5 | 8.04 |
| AB 18818 | | 38 | 0.6 | 4 | <5 | 7.32 |
| AB 18819 | | 26 | 0.6 | <2 | <5 | 6.77 |
| AB 18820 | | 28 | 0.4 | <2 | <5 | 9.93 |
| AB 18821 | | 7 | 0.4 | 4 | <5 | 9.31 |
| AB 18822 | | 9 | 0.5 | <2 | <5 | 6.97 |
| AB 18823 | | 47 | 1.3 | <2 | <5 | 7.92 |
| AB 18824 | | 7 | 0.4 | <2 | <5 | 8.53 |
| AB 18825 | | 15 | 0.3 | <2 | <5 | 8.25 |
| AB 18826 | | 3 | 0.3 | <2 | <5 | 9.39 |
| AB 18827 | | 41 | 0.4 | <2 | <5 | 8.08 |
| AB 18829 | | 12 | 0.4 | <2 | <5 | 7.42 |
| AB 18830 | | 12 | 0.4 | <2 | <5 | 8.22 |
| AB 18850 | | 14 | 0.5 | <2 | <5 | 7.72 |
| AB 18851 | | 8 | 0.3 | <2 | <5 | 8.91 |
| AB 18852 | | 12 | 0.3 | <2 | <5 | 7.62 |
| AB 18853 | | 13 | 0.4 | <2 | <5 | 7.06 |
| AB 18854 | | 22 | 0.4 | 3 | <5 | 8.58 |
| AB 18855 | | 24 | 0.5 | 3 | <5 | 8.23 |
| AB 18856 | | 33 | 0.4 | <2 | <5 | 8.19 |
| AB 18857 | | 28 | 0.3 | <2 | <5 | 7.06 |
| AB 18858 | | 27 | 0.4 | <2 | <5 | 6.23 |
| AB 18859 | | 23 | 0.3 | 3 | <5 | 8.12 |
| AB 18860 | | 13 | 0.2 | <2 | <5 | 8.11 |
| AB 18861 | | 20 | 0.3 | 4 | <5 | 7.25 |



REPORT: 067-7612

PROJECT: 11-194-33 WINE PAGE 2

| SAMPLE NUMBER | ELEMENT UNITS | As PPM | Sb PPM | W PPM | Au PPB | WT g |
|---------------|---------------|--------|--------|-------|--------|-------|
| AB 18862 | | 26 | 0.4 | 4 | <5 | 9.57 |
| AB 18863 | | 15 | 0.2 | <2 | <5 | 8.98 |
| AB 18864 | | 304 | 0.2 | 24 | <5 | 8.30 |
| AB 18865 | | 17 | 0.2 | <2 | <5 | 7.44 |
| AB 18866 | | 14 | 0.3 | <2 | <5 | 9.32 |
| AB 18867 | | 21 | 0.6 | <2 | <5 | 7.69 |
| AB 18869 | | 48 | 0.3 | <2 | <5 | 8.03 |
| AB 18870 | | 28 | 0.4 | 3 | 6 | 10.46 |
| AB 18871 | | 23 | 0.6 | 3 | <5 | 9.42 |
| AB 18872 | | 23 | 0.4 | <2 | <5 | 8.78 |
| AB 18873 | | 16 | 0.4 | <2 | <5 | 8.74 |
| AB 18874 | | 18 | 0.3 | <2 | <5 | 8.46 |
| AB 18875 | | 19 | <0.2 | <2 | <5 | 7.67 |
| AB 18876 | | 6 | 0.3 | <2 | <5 | 9.41 |
| AB 18877 | | 16 | 0.5 | <2 | <5 | 7.38 |
| AB 18878 | | 42 | 0.9 | 4 | <5 | 8.16 |
| AB 18879 | | 31 | 0.4 | <2 | <5 | 8.09 |
| AB 18880 | | 143 | 0.3 | <2 | <5 | 7.86 |



REPORT: 067-7612

PROJECT: 11-194-33 WINE

PAGE 3

| STANDARD NAME | ELEMENT UNITS | As PPM | Sb PPM | W PPM | Au PPM | WT g |
|-----------------|---------------|--------|--------|-------|--------|------|
| MEGUMA SOIL STD | | 134 | 0.3 | 7 | 10 | 3.61 |
| | | 131 | <0.2 | 5 | <5 | 3.19 |
| | | 128 | 0.3 | 7 | 25 | 5.35 |
| | | 132 | <0.2 | <2 | 17 | 4.95 |


| | | | | | |
|--------------------|-------|-------|------|------|--------|
| Number of Analyses | 4 | 4 | 4 | 4 | 4 |
| Mean Value | 131.3 | 0.19 | 4.9 | 13.6 | 4.275 |
| Standard Deviation | 2.50 | 0.107 | 2.81 | 9.62 | 1.0377 |
| Lowest Value | 128 | 0.2 | 2 | 5 | 3.19 |
| Highest Value | 134 | 0.3 | 7 | 25 | 5.35 |

APPENDIX III

ANALYTICAL RESULTS, WINE HARBOUR WEST PROPERTY
TILL GEOCHEMISTRY, NOVEMBER - DECEMBER 1987

Bondar-Clegg & Company Ltd.


5420 Canotek Rd.,
Ottawa, Ontario,
Canada K1J 8X5
Phone: (613) 749-2220
Telex: 053-3233



**Geochemical
Lab Report**

JAN 15 1988

SEABRIGHT RESOURCES
MR. DAVID DUNCAN
11 GLENDALE AVE.
LOWER SACKVILLE, N.S.
B4L 3P2



REPORT: 067-7662 (COMPLETE)

REFERENCE INFO:

CLIENT: SEADWIGHT RESOURCES
PROJECT: 11-19A

SUBMITTED BY: A. KORYLUK
DATE PRINTED: 11-JAN-88


| ORDER | ELEMENT | NUMBER OF ANALYSES | LOWER DETECTION LIMIT | EXTRACTION | METHOD |
|-------|----------------|--------------------|-----------------------|------------|--------------------|
| 1 | As Arsenic | 58 | 1 PPM | | Neutron Activation |
| 2 | Sb Antimony | 58 | 0.2 PPM | | Neutron Activation |
| 3 | W Tungsten | 58 | 2 PPM | | Neutron Activation |
| 4 | Au Gold | 58 | 5 PPM | | Neutron Activation |
| 5 | WT Test Weight | 58 | 0.01 g | | |

| SAMPLE TYPES | NUMBER | SIZE FRACTIONS | NUMBER | SAMPLE PREPARATIONS | NUMBER |
|---------------------|--------|----------------|--------|---------------------|--------|
| HEAVY MINERAL CONC. | 58 | -10 | 58 | ENCAPSULATION | 58 |

REMARKS: < MEANS LESS THAN

REPORT COPIES TO: MR. DAVID DUNCAN
NICOLA MCPHEE
GREG ISEWOR
MR. DAVID DUNCAN
MR. DAVID DUNCAN
MR. DAVID DUNCAN

INVOICE TO: NICOLA MCPHEE




REPORT: 067-7662

PROJECT: 11-194

PAGE 1

| SAMPLE NUMBER | ELEMENT UNITS | As PPM | Sb PPM | M PPM | Ag PPM | WT % |
|---------------|---------------|--------|--------|-------|--------|-------|
| AC 18801 | | 8 | 0.5 | <2 | <5 | 44.48 |
| AC 18802 | | 12 | 0.3 | <4 | <5 | 44.21 |
| AC 18803 | | 20 | 0.3 | 5 | <5 | 43.33 |
| AC 18804 | | 10 | 0.3 | <2 | <5 | 47.25 |
| AC 18805 | | 21 | 0.4 | <2 | <5 | 40.09 |
| AC 18806 | | 13 | 0.4 | <2 | <5 | 46.25 |
| AC 18807 | | 8 | 0.4 | 3 | <5 | 49.54 |
| AC 18809 | | 19 | <0.2 | <2 | <5 | 36.82 |
| AC 18810 | | 4 | 0.3 | <2 | <5 | 48.49 |
| AC 18811 | | 8 | 0.6 | <2 | <5 | 48.69 |
| AC 18812 | | 10 | 0.7 | <2 | <5 | 47.70 |
| AC 18813 | | 17 | 0.5 | <2 | <5 | 38.03 |
| AC 18814 | | 9 | 0.5 | <2 | <5 | 42.11 |
| AC 18815 | | 28 | 0.4 | 7 | <5 | 30.28 |
| AC 18816 | | 12 | 0.5 | <4 | <5 | 35.71 |
| AC 18817 | | 14 | 0.6 | <2 | <5 | 45.73 |
| AC 18818 | | 26 | 1.0 | <5 | <5 | 18.34 |
| AC 18819 | | 19 | 0.7 | <4 | <5 | 26.19 |
| AC 18820 | | 18 | 1.0 | <4 | <5 | 28.94 |
| AC 18821 | | 7 | 0.5 | <4 | <5 | 31.67 |
| AC 18822 | | 6 | 0.6 | <4 | <5 | 27.53 |
| AC 18823 | | 10 | 0.8 | <2 | <5 | 33.90 |
| AC 18824 | | 5 | 0.4 | <2 | <5 | 36.64 |
| AC 18825 | | 7 | 0.4 | <2 | <5 | 36.23 |
| AC 18826 | | 3 | 0.3 | <2 | <5 | 40.16 |
| AC 18827 | | 19 | 0.6 | <2 | <5 | 32.06 |
| AC 18829 | | 10 | 0.6 | <2 | <5 | 39.00 |
| AC 18830 | | 11 | 0.5 | <2 | <5 | 41.08 |
| AC 18850 | | 12 | 0.7 | <2 | <5 | 36.97 |
| AC 18851 | | 6 | 0.4 | 5 | <5 | 26.02 |
| AC 18852 | | 8 | 0.4 | <2 | <5 | 38.73 |
| AC 18853 | | 9 | 0.4 | <4 | <5 | 37.73 |
| AC 18854 | | 12 | 0.6 | <2 | <5 | 31.26 |
| AC 18855 | | 10 | 0.4 | <2 | <5 | 35.07 |
| AC 18856 | | 16 | 0.5 | 21 | <5 | 29.35 |
| AC 18857 | | 10 | 0.3 | <4 | <5 | 27.44 |
| AC 18858 | | 18 | 0.3 | <4 | <5 | 27.49 |
| AC 18859 | | 7 | 0.3 | <4 | <5 | 31.15 |
| AC 18860 | | 7 | 0.4 | <2 | <5 | 31.61 |
| AC 18861 | | 10 | 0.3 | <2 | <5 | 26.47 |




REPORT: 067-7662

PROJECT: 11-194

PAGE 2

| SAMPLE NUMBER | ELEMENT UNITS | As PPM | Sb PPM | M PPM | Au PPB | WT g |
|---------------|---------------|--------|--------|-------|--------|-------|
| AC 18862 | | 10 | 0.3 | 02 | 05 | 31.26 |
| AC 18863 | | 9 | 0.4 | 02 | 05 | 24.50 |
| AC 18864 | | 117 | 0.3 | 16 | 05 | 25.15 |
| AC 18865 | | 12 | 0.3 | 3 | 05 | 25.94 |
| AC 18866 | | 7 | 0.6 | 03 | 05 | 41.61 |
| AC 18867 | | 9 | 0.6 | 02 | 05 | 29.08 |
| AC 18869 | | 25 | 0.6 | 02 | 05 | 25.78 |
| AC 18870 | | 12 | 0.3 | 02 | 05 | 44.23 |
| AC 18871 | | 7 | 0.3 | 02 | 05 | 44.97 |
| AC 18872 | | 9 | 0.4 | 02 | 05 | 47.69 |
| AC 18873 | | 7 | 0.3 | 02 | 05 | 49.23 |
| AC 18874 | | 8 | 0.4 | 02 | 05 | 45.22 |
| AC 18875 | | 8 | 0.3 | 02 | 6 | 43.25 |
| AC 18876 | | 6 | 0.3 | 02 | 05 | 54.38 |
| AC 18877 | | 7 | 0.3 | 02 | 05 | 47.37 |
| AC 18878 | | 31 | 0.3 | 02 | 05 | 41.01 |
| AC 18879 | | 11 | 0.3 | 02 | 05 | 45.05 |
| AC 18880 | | 63 | 0.4 | 4 | 06 | 29.83 |



REPORT: 067-7662

PROJECT: 11-194

PAGE 3

| STANDARD NAME | ELEMENT UNITS | As PPM | Sb PPM | W PPM | Ba PPS | WT g |
|----------------|---------------|--------|--------|-------|--------|-------|
| MEQUA SOTL STD | | 123 | <0.2 | <8 | 39 | 12.07 |
| | | 130 | 0.4 | <8 | <13 | 11.04 |
| | | 123 | 0.3 | <5 | <5 | 15.29 |
| | | 120 | 0.4 | <5 | 13 | 15.44 |

| | | | | | |
|--------------------|-------|-------|------|-------|--------|
| Number of Analyses | 4 | 4 | 4 | 4 | 4 |
| Mean Value | 125.0 | 0.29 | 3.2 | 15.3 | 13.460 |
| Standard Deviation | 3.56 | 0.126 | 0.78 | 16.41 | 2.2404 |
| Lowest Value | 123 | 0.2 | 5 | 5 | 11.04 |
| Highest Value | 130 | 0.4 | 8 | 39 | 15.44 |

APPENDIX IV

LIST OF EXPENDITURES

List of Expenditures

License No.: 11325
Number of Claims: 3
Renewal Date: January 3, 1988

Days of Work: 34
Expenditures: \$680.00

"The said work consisted of:"

| | |
|----------------------|-----------------|
| Salaries | \$130.00 |
| Geochemistry Surveys | <u>490.00</u> |
| Subtotal | 620.00 |
| Plus 10% | <u>60.00</u> |
| GRAND TOTAL | <u>\$680.00</u> |

List of Expenditures

License No.: 11364
Number of Claims: 43
Renewal Date: January 9, 1988

Days of Work: 342
Expenditures: \$6,848.00

"The said work consisted of:"

| | |
|----------------------|-------------------|
| Salaries | \$2,785.00 |
| Geochemistry Surveys | <u>3,203.00</u> |
| Subtotal | 5,988.00 |
| Plus 10% | <u>860.00</u> |
| GRAND TOTAL | <u>\$6,848.00</u> |



Department of
Mines and Energy

RE: WINE HARBOUR WEST

Report of Work Performed

I, the undersigned, holder of/agent for, Exploration License No. 11325 issued on the 3rd day of January 19 86, hereby report work as follows:

I have, under said License, and in conformity with the provisions of The Mineral Resources Act, performed or caused to be performed on the licensed area 34 days' work (eight-hour days) not reported before, totalling \$ 680.00 as per the attached list of expenditures. (Rate is one day's work for each \$20.00 spent.)

Expenditures relating to office overhead, transportation, lodging, freight, express, construction of roads, erection of buildings, etc., will be accepted up to a maximum of ten percent (10%) of the **required** work.


The said work consisted of soil and till geochemical sampling, and prospecting.

Attached is a geological report with applicable maps, sample results, drill logs, etc., which is submitted as evidence and initialled by me.


My Post Office address is Seabright Explorations Inc., #301, 8100 Young Street

Halifax, N.S. B3K 2A4 Tel. No. 864-3070

Dated this 29th day of DECEMBER 19 87


Signature of Licensee/Agent

I hereby make oath and say that the above statement is true and correct.


Signature of Licensee/Agent

RECEIVED
DEC 29 15 55 '87
MINES
AND
ENERGY

Sworn to at Halifax
in the County of Halifax
Province Nova Scotia
this 29th day of December A.D. 19 87
Before me [Signature]
a RODNEY F. BUSH in and



Department of Mines and Energy

RE: WINE HARBOUR WEST

Report of Work Performed

I, the undersigned, holder of/agent for, Exploration License No. 12364 issued on the 9th day of January 19 87, hereby report work as follows:

I have, under said License, and in conformity with the provisions of The Mineral Resources Act, performed or caused to be performed on the licensed area 242 days' work (eight-hour days) not reported before, totalling \$ 6,848.00 as per the attached list of expenditures. (Rate is one day's work for each \$20.00 spent.)

Expenditures relating to office overhead, transportation, lodging, freight, express, construction of roads, erection of buildings, etc., will be accepted up to a maximum of ten percent (10%) of the **required** work.

The said work consisted of soil and till geochemical sampling, and prospecting.

Attached is a geological report with applicable maps, sample results, drill logs, etc., which is submitted as evidence and initialled by me.

My Post Office address is Seabright Explorations Inc. #301, 6100 Young Street,

Halifax, N.S. B3K 2A4 Tel. No. 864-3070

Dated this 29th day of DECEMBER 1987

[Signature]
Signature of Licensee/Agent

I hereby make oath and say that the above statement is true and correct.

[Signature]
Signature of Licensee/Agent

Sworn to at Halifax
in the County of Halifax
Province Nova Scotia
this 29th day of December A.D. 19 87
Before me [Signature]
a RODNEY F. BURTON in and
for A Barrister of the Supreme Court of Nova Scotia



RECEIVED
DEC 29 15 55 '87
MINES AND ENERGY


61°53'





LEGEND

-  PAVED ROAD
-  LOGGING ROAD
-  TRAIL
-  STREAM
-  SWAMP
-  CLAIM BOUNDARY

-  ANTICLINAL AXIS (INFERRED)
-  ICE DIRECTION


 SOIL AND H.M.C. TILL SAMPLE LOCATION
 SOIL PREFIXED BY AB18
 H.M.C. TILL PREFIXED BY AC18

 SOIL (TOP) AND H.M.C. TILL (BOTTOM)
 VALUES - ALL VALUES ≥ 10 ppb Au PLOTTED



88 036



 SEABRIGHT EXPLORATIONS INC.

WINE HARBOUR WEST PROJECT

GEOCHEMICAL SOIL & TILL SAMPLE LOCATIONS AND RESULTS

| | | |
|---------------|-------------------|----------------------------|
| WORK BY GB | MAP NO. 1 | SCALE 1:10000 |
| DRAFTED BY WC | CLAIM MAP 11F/4-B | PROJECT NO. 194 |
| DATE JAN/88 | N.T.S. 11F/4 | LICENSE NO. 11325 11364 |