

Appendix B: Priority Species List (Birds)

<i>Limosa haemastfica</i>	Hudsonian Godwit				YELLOW	<p>southward migration (to Maritime Provinces and New England, then southward by sea to southern South America. Begins migration from northwestern Canada early to mid-August</p> <p>NON-BREEDING: marshes, beaches, flooded fields, and tidal mudflats (AOU 1983); lake and pond shores, inlets. PASSAGE MIGRANT IN NS (FALL)</p> <p>along Atlantic coast March-May (PASSAGE MIGRANT)beaches, tidal mudflats, marshes, estuaries, edges of tidal creeks, sandy or rocky shores, flooded fields and pastures</p>	YES (Fall migration)	Yes	Hudsonian Godwit
<i>Numenius phaeopus</i>	Whimbrel				YELLOW	<p>Nonbreeding: primarily pelagic, occurring in migration on bays and estuaries, rarely on ponds, lakes and marshes; mainly in plankton-rich upwelling zones. May be driven to coast or inland by strong winds- much more common on Pacific Coast than Atlantic during PASSAGE MIGRATION</p>	YES (Spring migration)	Yes	Whimbrel
<i>Phalaropus fulicarius</i>	Red Phalarope				YELLOW	<p>Migrates northward along coasts of North America late March-May; arrives in Beaufort Sea region late May-early June. Migration in North America is mainly along both coasts and regularly but less commonly through western interior. Females leave breeding areas in late June or early July, followed by successful males in late July and juveniles August-early September sometimes occurring in migration on ponds, lakes, open marshes, estuaries, and bays</p>	NO	Yes	NO
<i>Phalaropus lobatus</i>	Red-necked Phalarope				YELLOW	<p>Migrates throughout North America south of breeding range. Arrives in northern U.S. April-May or June during northward migration. Departures from breeding areas begin in mid-July (Hayman et al. 1986). Most common in fall in Puerto Rico and Virgin Islands (Raffaele 1983). Migrates through Costa Rica Aug. or September-October and April-May (Stiles and Skutch 1989). Usually migrates in small flocks, day or night.</p> <p>Habitat Comments: Nonbreeding: marshes, ponds, lakes, stream margins and sand and gravel bars, lagoons, salinas, and coastal mudflats</p>	Yes	Yes	Red-necked Phalarope
<i>Tringa melanoleuca</i>	Greater Yellowlegs				YELLOW		Yes	Yes	Greater Yellowlegs

Appendix B: Priority Species List (Birds)

<i>Botaurus lentiginosus</i>	American Bittern					YELLOW	BREEDING: Primarily large freshwater and (less often) brackish marshes, including lake and pond edges where cattails, sedges, or bulrushes are plentiful and marshes where there are patches of open water and aquatic-bed vegetation. Occurs also in other areas with dense herbaceous cover, such as shrubby marshes, bogs, wet meadows, and, rarely, hayfields BREEDING BIRD IN NS	YES	No	American Bittern
<i>Cathartes aura</i>	Turkey Vulture					YELLOW	Maybe BREEDING IN NS- southern end Forested and open situations, more commonly in the latter, from lowlands to mountains (AOU 1983). May roost in large flocks at night in trees; roosts often near or over water. In Pennsylvania, selected large conifers for mid-winter roost	YES	No	Turkey Vulture
<i>Pheucticus ludovicianus</i>	Rose-breasted Grosbeak					YELLOW	Second-growth woods, mature forest edge, borders of swamps and wooded streams, dense growths of small trees, gardens and parks, old orchards. In migration and winter in various forest, woodland, and scrub habitats; avoids interior of closed forest. Usually remains high in trees but sometimes descends to ground (Stiles and Skutch 1989). Nests usually in thickets or small trees, generally 2-5 m above ground. BREEDING BIRD NS	YES	No	Rose-breasted Grosbeak
<i>Spinus pinus</i>	Pine Siskin					YELLOW	Habitats include various forests and woodlands, parks, and gardens and yards in suburban areas Nests often are placed about half way up a conifer or deciduous tree and are hidden among outer branches.	YES	No	Pine Siskin
<i>Tachycineta bicolor</i>	Tree Swallow					YELLOW	Open situations near water, including streams, lakes, ponds, marshes and coastal regions (AOU 1983); savanna, pastures, etc. Nests usually near water in a natural tree cavity or abandoned woodpecker hole, less frequently in open woodland away from water. Also nests in bird boxes or in a crevice in a building BREEDING BIRD IN NS	YES	No	Tree Swallow
<i>Sturnella magna</i>	Eastern Meadowlark					YELLOW	Grasslands, savanna, open fields, pastures, cultivated lands, sometimes marshes BREEDING BIRD- Amherst area	YES	Yes	Eastern Meadowlark

Appendix B: Priority Species List (Birds)

<i>Dendroica castanea</i>	Bay-breasted Warbler				YELLOW	<p>Boreal coniferous forest, occasionally adjoining second growth or deciduous scrub. In migration and winter in various forest, woodland, scrub, and thicket habitats. (AOU 1983). Almost anywhere in fall migration (Stiles and Skutch 1989). NON-BREEDING: forest edge, second growth, and lighter woodlands (Pashley 1989, Stiles and Skutch 1989). BREEDING: Nests usually on horizontal branch of tree, generally 1.5-6 m above ground; sometimes nests in shrub or to 15 m in tree. BREEDING BIRD IN NS</p>	YES	No	Bay-breasted Warbler
<i>Dendroica striata</i>	Blackpoll Warbler				YELLOW	<p>Cool, wet boreal coniferous forest (primarily spruce), usually dominated by low trees; locally also mixed second growth, regenerating burns, peatlands, and alder thickets (AOU 1998). In migration in various forest, forest border, woodland, scrub, and brushy habitats (AOU 1983), clearings with scattered trees. In winter, mostly (exclusively?) on islands in and vegetation surrounding major rivers.</p> <p>Nests usually are well hidden in small trees, to about 3 m above ground BREEDING BIRD NS</p>	YES	No	Blackpoll Warbler
<i>Dendroica tigrina</i>	Cape May Warbler				YELLOW	<p>BREEDING: Primarily in forests of spruce (PICEA spp.) and/or fir (ABIES spp.), typically in stands > 50 years old, > 15 m tall, with well developed crowns and some trees that rise above canopy for use as singing posts (AOU 1998, Rosenberg and Hodgeman 2000, Baltz and Latta 1998, Baker 1978, Welsh 1987, Semenchuk 1992). Trees may be scattered or dense; also found near forest edge, especially if birches or hemlocks are present and more open land with small trees BREEDING BIRD IN NS</p>	Yes	No	Cape May Warbler

Appendix B: Priority Species List (Birds)

<i>Vermivora peregrina</i>	Tennessee Warbler				Yellow	<p>Openings of northern woodland, edges of dense spruce forests, cleared balsam-tamarack bogs, grassy places of open aspen and pines, alder and willow thickets, open deciduous second growth. In migration and winter generally in single species flocks in tops of various woodland types--not typically in continuous mature forest; in winter prefers semi-open, second growth, coffee plantations, gardens (Stiles and Skutch 1989). BREEDING: Nests in hollow of moss in bog, or on higher level ground or hillside, in thickets or in open at base of grass or shrub</p> <p>BREEDING BIRD IN NS</p>	Yes	No	Tennessee Warbler
<i>Wilsonia pusilla</i>	Wilson's Warbler				Yellow	<p>Habitat includes semi-open areas in moist woodlands, bogs with scattered trees, willow and alder thickets, and areas with similar vegetation structure. Winter habitats include semi-open or lightly wooded areas, such as the canopy, openings, and edges of forests, second growth, coffee plantations, brushy fields, and yards (Stiles and Skutch 1989). Nests are on the ground at the bases of shrubs (e.g., willows in the Sierra Nevada) or saplings or under cover of ground vegetation</p> <p>BREEDING BIRD IN NS</p>	Yes	No	Wilson's Warbler
<i>Regulus calendula</i>	Ruby-crowned Kinglet				Yellow	<p>Nests in coniferous forests and woodlands. In migration and winter it also inhabits deciduous woodlands, shrubs and thickets and may be found in old fields, gardens, yards and parks. BREEDING: Nests in coniferous trees (usually spruce), 1-30 m above ground. Nest usually hangs from stem or twig fork, occasionally it saddles a branch.</p> <p>BREEDING BIRD IN NS</p>	Yes	No	Ruby-crowned Kinglet
<i>Regulus satrapa</i>	Golden-crowned Kinglet				Yellow	<p>Coniferous forest and woodland (especially spruce), in migration and winter also deciduous woodland, scrub and brush (AOU 1983). Nests usually in an evergreen, most often in crown 9-18 m above ground</p> <p>PERMANENT RESIDENT IN NS</p>	Yes	No	Golden-crowned Kinglet

Appendix B: Priority Species List (Birds)

<i>Contopus virens</i>	Eastern Wood-Pewee				YELLOW	BREEDING: Inhabits a wide variety of wooded upland and lowland habitats including deciduous, coniferous, or mixed forests (Bond 1957, McCarty 1996). Occurs most frequently in forests with some degree of openness, whether it be the result of forest structure, natural disturbance, or human alteration BREEDING BIRD IN NS	Yes	No	Eastern Wood-Pewee
<i>Empidonax flaviventris</i>	Yellow-bellied Flycatcher				YELLOW	Damp coniferous forest, swamps, bogs. In migration in various habitats from low scrub to forest; in winter prefers understory of primary or secondary forest, scrubby woodland, and shady clearings (Stiles and Skutch 1989), commonly in humid lowland forest and open woodland. Nests on or near ground, in side of mossy mound or among roots of upturned tree, usually well hidden in sphagnum moss or growing herbage BREEDING BIRD IN NS	Yes	No	Yellow-bellied Flycatcher
<i>Empidonax traillii</i>	Willow Flycatcher				YELLOW	BREEDING: Strongly tied to brushy areas of willow (SALIX spp.) and similar shrubs. Found in thickets, open second growth with brush, swamps, wetlands, streamsides, and open woodland (AOU 1983). Common in mountain meadows and along streams; also in brushy upland pastures (especially hawthorn) and orchards (NGS 1983). The presence of water (running water, pools, or saturated soils) and willow, alder (ALNUS spp), or other deciduous riparian shrubs are essential habitat elements BREEDING BIRD IN NS	Yes	Yes	Willow Flycatcher
<i>Sayornis phoebe</i>	Eastern Phoebe				YELLOW	Open woodland, situations with scattered trees, farmlands, and suburbs, usually near water. Nests on cliffs, banks, or in ravines in open and riparian woodland or farmland with scattered trees; under bridges and eaves; in culverts or wells; sometimes in buildings. May renovate old nest, such as that of the barn swallow or phoebe. Formerly, natural sites were used; now nests mainly on human-built structures. BREEDING BIRD IN NS	YES	Yes	Eastern Phoebe

Appendix B: Priority Species List (Birds)

<i>Tyrannus tyrannus</i>	Eastern Kingbird				Forest edge, open situations with scattered trees and shrubs, cultivated lands with bushes and fencerows, and parks; in winter more closely associated with forest clearings and borders (AOU 1983). Migrants in Costa Rica roost in isolated clumps of trees or amid tall coarse grass (Stiles and Skutch 1989). BREEDING: Nests usually on horizontal limb of isolated tree or orchard tree, in low shrub at water's edge, or on stump or snag in water; average height of 3-6 m	Yes	No	Eastern Kingbird
<i>Phalacrocorax carbo</i>	Great Cormorant			YELLOW	Lakes, rivers, and seacoasts; in North America, seacoasts and lower parts of large rivers, especially sheltered areas. In North America, nests mostly on higher parts of cliffs or slopes, on flat tops of rocky islands, or in low, dense, stunted spruce PERMANENT RESIDENT IN NS_ COASTAL	No	No	NO
<i>Picoides arcticus</i>	Black-backed Woodpecker			YELLOW	Associated with boreal and montane coniferous forests, especially in areas with standing dead trees such as burns, bogs, and windfalls; less frequently in mixed forest and rarely in winter in deciduous woodland (AOU 1983). Distribution is closely associated with closed boreal forests and montane coniferous forests. PERMANENT RESIDENT IN NS	Yes	No	Black-backed Woodpecker
<i>Podilymbus podiceps</i>	Pied-billed Grebe			YELLOW	BREEDING: In eastern U.S., occurs in ponds, sloughs, and marshes, in marshy inlets and along edges of rivers, lakes, and reservoirs, and occasionally in estuarine wetlands (Palmer 1962, Chabreck 1963, Cramp et al. 1977, Andrie and Carroll 1988). Nests are typically built in shallow water surrounded by dense vegetation, especially cattail (TYPHA spp.) and bulrush BREEDING BIRD IN NS	Yes	No	Pied-billed Grebe

APPENDIX C: RESULTS

Appendix C Point Count Results

Point Count #1					
Easting:	398589.33	Northing:	4960349.86		
Date:	40714	Time:	0.2		
Habitat:	Open, mixed forest	Temperature:	12 °C		
Wind speed:	< 10 km/h	Cloud cover:	0.8		
Precipitation:	0	Visibility:	0.8		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	Turdus migratorius	4	100	S	
Black-capped Chickadee	Poecile atricapillus	2	50-100	S	
Black-throated Green Warbler	Dendroica virens	8	50-100	S	
Blackburnian Warbler	Dendroica fusca	2	50-100	S	
Common Loon	Gavia immer	1	100	S	DNR Red
Common Yellowthroat	Geothlypis trichas	1	50-100	S	
Dark-eyed Junco	Junco hyemalis	2	50	S	
Golden-crowned Kinglet	Regulus satrapa	4	<50	S	DNR Yellow
Hermit Thrush	Catharus guttatus	6	100	S	
Magnolia Warbler	Dendroica magnolia	6	50-100	S	
Ovenbird	Seiurus aurocapillus	3	50-100	S	
Red-breasted Nuthatch	Sitta canadensis	3	50-100	S	
Swainson's Thrush	Catharus ustulatus	1	100	S	
White-throated Sparrow	Zonotricha albicollis	4	50-100	S	
Winter Wren	Troglodytes troglodytes	2	50-100	S	
Yellow-bellied Flycatcher	Empidonax flaviventris	1	100	S	DNR Yellow
Yellow-rumped Warbler	Dendroica coronata	2	100	S	
Point Count #2					
Easting:	399027.71	Northing:	4959469.97		
Date:	40714	Time:	0.229166667		
Habitat:	Open, mixed forest	Temperature:	12 °C		
Wind speed:	< 10 km/h	Cloud cover:	0.8		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	Turdus migratorius	2	50-100	S	
Black-and-white Warbler	Mniotilta varia	2	<50	S	
Black-capped Chickadee	Poecile atricapillus	10	0-100	S	
Black-throated Blue Warbler	Dendroica caerulescens	1	<50	S	
Blackburnian Warbler	Dendroica fusca	2	50-100	S	
Common Yellowthroat	Geothlypis trichas	2	50	S	
Dark-eyed Junco	Junco hyemalis	2	50-100	S	
Golden-crowned Kinglet	Regulus satrapa	6	50-100	S	DNR Yellow
Hermit Thrush	Catharus guttatus	6	0-100	S	
Magnolia Warbler	Dendroica magnolia	4	50-100	S	
Northern Parula	Parula americana	1	<50	S	
Ovenbird	Seiurus aurocapillus	2	50-100	S	
White-throated Sparrow	Zonotricha albicollis	2	50-100	S	
Yellow-rumped Warbler	Dendroica coronata	2	50-100	S	
Point Count #3					
Easting:	398983.92	Northing:	4958293.44		
Date:	40714	Time:	0.256944444		

Appendix C Point Count Results

Habitat:	~30 year old softwood stand	Temperature:	12 °C		
Wind speed:	< 10 km/h	Cloud cover:	0.7		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	Turdus migratorius	1	100	S	
Black-and-white Warbler	Mniotilta varia	1	50-100	S	
Black-capped Chickadee	Poecile atricapillus	2	50-100	S	
Blue Jay	Cyanocitta cristata	2	50-100	S	
Dark-eyed Junco	Junco hyemalis	1	<50	S	
Golden-crowned Kinglet	Regulus satrapa	4	50-100	S	DNR Yellow
Hairy Woodpecker	Picoides villosus	1	50-100	S	
Hermit Thrush	Catharus guttatus	6	50-100	S	
Magnolia Warbler	Dendroica magnolia	2	50-100	S	
Northern Parula	Parula americana	1	<50	S	
Ovenbird	Seiurus aurocapillus	1	50-100	S	
Red-eyed Vireo	Vireo olivaceus	2	50-100	S	
Ruby-crowned Kinglet	Regulus calendula	1	100	S	DNR Yellow
Swainson's Thrush	Catharus ustulatus	1	50-100	S	
Point Count #4					
Easting:	399074.07	Northing:	4956955.37		
Date:	40714	Time:	0.28125		
Habitat:	~20 year hardwood stand	Temperature:	12 °C		
Wind speed:	< 10 km/h	Cloud cover:	0		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Alder Flycatcher	Empidonax alnorum	1	<50	S	
American Redstart	Setophaga ruticilla	4	0-100	S	
American Robin	Turdus migratorius	2	<50	S	
Black-capped Chickadee	Poecile atricapillus	6	50-100	S	
Common Loon	Gavia immer	2	100	Breeding Pair	DNR Red
Golden-crowned Kinglet	Regulus satrapa	4	<50	S	DNR Yellow
Hairy Woodpecker	Picoides villosus	1	50-100	S	
Magnolia Warbler	Dendroica magnolia	6	50	S	
Northern Parula	Parula americana	5	<50	S	
Ovenbird	Seiurus aurocapillus	2	50-100	S	
Ruby-crowned Kinglet	Regulus calendula	1	50-100	S	DNR Yellow
Tree swallow	Tachycineta bicolor	2	50	S	DNR Yellow
Point Count #5					
Easting:	399067.95	Northing:	4956216.58		
Date:	40714	Time:	0.3125		
Habitat:	Regenerating mixed stand	Temperature:	15 °C		
Wind speed:	< 10 km/h	Cloud cover:	0		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Crow	Corvus brachyrhynchos	1	100	S	

Appendix C Point Count Results

Point Count #8					
Easting:	394066.03	Northing:	4959423.97		
Date:	40716	Time:	0.21875		
Habitat:	~30 year old mixed stand	Temperature:	9 °C		
Wind speed:	< 5 km/h	Cloud cover:	0.7		
Precipitation:	0	Visibility:	0.8		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	<i>Turdus migratorius</i>	1	50	S	
Black-and-white Warbler	<i>Mniotilta varia</i>	2	50	S	
Black-capped Chickadee	<i>Poecile atricapillus</i>	8	50-100	S	
Black-throated Green Warbler	<i>Dendroica virens</i>	6	50-100	S	
Common Loon	<i>Gavia immer</i>	1	>100	S	DNR Red
Dark-eyed Junco	<i>Junco hyemalis</i>	2	50-100	S	
Hermit Thrush	<i>Catharus guttatus</i>	6	50-100	S	
Nashville Warbler	<i>Vermivora ruficapilla</i>	1	50	S	
Palm Warbler	<i>Dendroica palmora</i>	2	50	S	
Swainson's Thrush	<i>Catharus ustulatus</i>	1	0-100	S	
Tree swallow	<i>Tachycineta bicolor</i>	4	50	S	DNR Yellow
Yellow-rumped Warbler	<i>Dendroica coronata</i>	2	50	S	
Point Count #9					
Easting:	395052.26	Northing:	4959434.92		
Date:	40716	Time:	0.236111111		
Habitat:	Open, mixed forest	Temperature:	9 °C		
Wind speed:	< 5 km/h	Cloud cover:	0.5		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Crow	<i>Corvus brachyrhynchos</i>	1	50-100	S	
Black-and-white Warbler	<i>Mniotilta varia</i>	2	50	S	
Black-capped Chickadee	<i>Poecile atricapillus</i>	2	50-100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	6	0-100	S	
Hermit Thrush	<i>Catharus guttatus</i>	2	50-100	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	4	0-100	S	
Northern Parula	<i>Parula americana</i>	1	50-100	S	
Palm Warbler	<i>Dendroica palmora</i>	2	50	S	
Swainson's Thrush	<i>Catharus ustulatus</i>	1	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	2	50-100	S	
Winter Wren	<i>Troglodytes troglodytes</i>	1	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	4	0-100	S	
Point Count #10					
Easting:	394331.74	Northing:	4958077.24		
Date:	40714	Time:	0.423611111		
Habitat:	Open, mixed forest	Temperature:	15 °C		
Wind speed:	< 10 km	Cloud cover:	0		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Black-capped Chickadee	<i>Poecile atricapillus</i>	2	<50	S	

Appendix C Point Count Results

Black-throated Green Warbler	<i>Dendroica virens</i>	6	50-100	S	
Golden-crowned Kinglet	<i>Regulus satrapa</i>	2	<50	S	DNR Yellow
Red-eyed Vireo	<i>Vireo olivaceus</i>	2	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	2	<50	S	
Point Count #11					
Easting:	392651.79	Northing:	4959482.74		
Date:	40715	Time:	0.395833333		
Habitat:	~30 year old mixed stand	Temperature:	15 °C		
Wind speed:	< 10 km	Cloud cover:	0.3		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Black-and-white Warbler	<i>Mniotilta varia</i>	1	50	S	
Black-throated Green Warbler	<i>Dendroica virens</i>	2	50	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	50	S	
Golden-crowned Kinglet	<i>Regulus satrapa</i>	4	50-100	S	DNR Yellow
Hermit Thrush	<i>Catharus guttatus</i>	1	50-100	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	4	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	2	50	S	
Point Count #12					
Easting:	392845.37	Northing:	4958760.94		
Date:	40715	Time:	0.378472222		
Habitat:	~30 year hardwood stand	Temperature:	15 °C		
Wind speed:	< 5 km	Cloud cover:	0.3		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Goldfinch	<i>Spinus tristis</i>	2	50-100	S	
American Redstart	<i>Setophaga ruticilla</i>	2	50-100	S	
American Robin	<i>Turdus migratorius</i>	2	50-100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	2	50-100	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	4	50-100	S	
Ovenbird	<i>Seiurus aurocapillus</i>	4	50-100	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	2	50	S	
Ruby-crowned Kinglet	<i>Regulus calendula</i>	1	50-100	S	DNR Yellow
Tree swallow	<i>Tachycineta bicolor</i>	4	50	S	DNR Yellow
White-throated Sparrow	<i>Zonotricha albicollis</i>	2	50-100	S	
Point Count #13					
Easting:	393278.41	Northing:	4958381.07		
Date:	40715	Time:	0.354166667		
Habitat:	~25 year old mixed forest	Temperature:	12 °C		
Wind speed:	< 5 km	Cloud cover:	0.6		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Goldfinch	<i>Spinus tristis</i>	4	50-100	S	
American Robin	<i>Turdus migratorius</i>	2	50-100	S	
Black-and-white Warbler	<i>Mniotilta varia</i>	2	100	S	
Blue Jay	<i>Cyanocitta cristata</i>	1	100	S	

Appendix C Point Count Results

Common Yellowthroat	<i>Geothlypis trichas</i>	8	50-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	50	S	
Hermit Thrush	<i>Catharus guttatus</i>	4	50-100	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	6	50-100	S	
Northern Flicker	<i>Colaptes auratus</i>	1	50	S	
Pine Grosbeak	<i>Pinicola enucleator</i>	1	100	S	DNR Red
Purple Finch	<i>Carpodacus purpureus</i>	1	50-100	S	
Red-breasted Nuthatch	<i>Sitta canadensis</i>	3	50	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	4	50-100	S	
Ruby-crowned Kinglet	<i>Regulus calendula</i>	2	50	S	DNR Yellow
Swainson's Thrush	<i>Catharus ustulatus</i>	1	50-100	S	
Tree swallow	<i>Tachycineta bicolor</i>	6	50	S	DNR Yellow
White-throated Sparrow	<i>Zonotricha albicollis</i>	6	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	4	50-100	S	
Point Count #14					
Easting:	391589.53	Northing:	4959986.01		
Date:	40715	Time:	0.319444444		
Habitat:	Marshy regenerating fir stan	Temperature:	8 °C		
Wind speed:	< 5 km	Cloud cover:	0.5		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Goldfinch	<i>Spinus tristis</i>	2	50-100	S	
American Robin	<i>Turdus migratorius</i>	2	50	S	
Black-capped Chickadee	<i>Poecile atricapillus</i>	4	50-100	S	
Blue Jay	<i>Cyanocitta cristata</i>	2	>100	S	
Cedar Waxwing	<i>Bombycilla dendrorum</i>	6	50	S	
Common Loon	<i>Gavia immer</i>	1	>100	S	DNR Red
Common Raven	<i>Corvus corax</i>	2	>100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	8	50-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	6	50-100	S	
Merlin	<i>Falco columbarius</i>	1	>100	S	
Palm Warbler	<i>Dendroica palmora</i>	2	50	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	1	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	4	50-100	S	
Point Count #15					
Easting:	390979.48	Northing:	4959115.73		
Date:	40715	Time:	0.302083333		
Habitat:	Regenerating mixed stand	Temperature:	9 °C		
Wind speed:	< 5 km	Cloud cover:	0.6		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Alder Flycatcher	<i>Empidonax alnorum</i>	8	50-100	S	
American Crow	<i>Corvus brachyrhynchos</i>	2	50-100	S	
American Goldfinch	<i>Spinus tristis</i>	4	50-100	S	
American Robin	<i>Turdus migratorius</i>	2	50	S	
Black-and-white Warbler	<i>Mniotilta varia</i>	1	50-100	S	
Black-throated Green Warbler	<i>Dendroica virens</i>	2	50-100	S	
Blue Jay	<i>Cyanocitta cristata</i>	1	50	S	
Broad-winged Hawk	<i>Buteo platypterus</i>	1	50-100	S	

Appendix C Point Count Results

Cedar Waxwing	<i>Bombycilla dendrorum</i>	6	50	S	
Chestnut-sided Warbler	<i>Dendroica pensylvanica</i>	1	50	S	
Common Loon	<i>Gavia immer</i>	1	>100	S	DNR Red
Common Raven	<i>Corvus corax</i>	2	>100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	8	0-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	4	50	S	
Hermit Thrush	<i>Catharus guttatus</i>	6	50-100	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	2	50-100	S	
Mourning Dove	<i>Zenaida macroura</i>	2	50	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	2	50-100	S	
Song Sparrow	<i>Melospiza melodia</i>	2	50	S	
Swainson's Thrush	<i>Catharus ustulatus</i>	2	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	4	50-100	S	
Winter Wren	<i>Troglodytes troglodytes</i>	2	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	4	50-100	S	
Point Count #16					
Easting:	391759.79	Northing:	4956528.71		
Date:	40715	Time:	0.270833333		
Habitat:	ure softwood on edge of cle	Temperature:	8 °C		
Wind speed:	< 5 km	Cloud cover:	0.4		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Alder Flycatcher	<i>Empidonax alnorum</i>	1	50-100	S	
Black-and-white Warbler	<i>Mniotilta varia</i>	2	50	S	
Blue Jay	<i>Cyanocitta cristata</i>	1	50	S	
Common Grackle	<i>Quiscalus quiscula</i>	1	50	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	8	50-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	50	S	
Golden-crowned Kinglet	<i>Regulus satrapa</i>	2	50	S	DNR Yellow
Hairy Woodpecker	<i>Picoides villosus</i>	1	50	S	
Hermit Thrush	<i>Catharus guttatus</i>	6	>100	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	4	50-100	S	
Northern Flicker	<i>Colaptes auratus</i>	1	50-100	S	
					COSEWIC Threatened, SARA Threatened, DNR Red
Olive-sided Flycatcher	<i>Contopus cooperi</i>	1	50-100	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	2	50-100	S	
Red-tailed Hawk	<i>Buteo jamaicensis</i>	1	50	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	4	50-100	S	
Winter Wren	<i>Troglodytes troglodytes</i>	4	50-100	S	
Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i>	3	50-100	S	DNR Yellow
Point Count #17					
Easting:	392446.59	Northing:	4956839.76		
Date:	40715	Time:	0.256944444		
Habitat:	~20 year softwood stand	Temperature:	8 °C		
Wind speed:	< 5 km	Cloud cover:	0.4		
Precipitation:	0	Visibility:	1		

Appendix C Point Count Results

Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Goldfinch	<i>Spinus tristis</i>	4	50-100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	4	50	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	50-100	S	
Eastern Wood Pewee	<i>Contopus virens</i>	1	50-100	S	DNR Yellow
Hairy Woodpecker	<i>Picoides villosus</i>	1	50-100	S, D	
Magnolia Warbler	<i>Dendroica magnolia</i>	6	50-100	S	
Mourning Dove	<i>Zenaida macroura</i>	2	50-100	S	
Olive-sided Flycatcher	<i>Contopus cooperi</i>	1	50-100	S	COSEWIC Threatened, SARA Threatened, DNR Red
Pileated Woodpecker	<i>Dryocopus pileatus</i>	2	>100	S, D	
Red-breasted Nuthatch	<i>Sitta canadensis</i>	4	50-100	S	
Ruby-crowned Kinglet	<i>Regulus calendula</i>	4	50-100	S	DNR Yellow
White-throated Sparrow	<i>Zonotricha albicollis</i>	1	50	S	
Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i>	1	50-100	S	DNR Yellow
Yellow-rumped Warbler	<i>Dendroica coronata</i>	4	50-100	S	
Point Count #18					
Easting:	392716.94	Northing:	4955659.67		
Date:	40715	Time:	0.239583333		
Habitat:	Mature mixed stand	Temperature:	8 °C		
Wind speed:	< 5 km	Cloud cover:	0.5		
Precipitation:	0	Visibility:	0.8		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	<i>Turdus migratorius</i>	2	>100	S	
Black-and-white Warbler	<i>Mniotilta varia</i>	1	50	S	
Black-throated Blue Warbler	<i>Dendroica caerulescens</i>	1	<50	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	50	S	
Hermit Thrush	<i>Catharus guttatus</i>	6	50-100	S	
Ovenbird	<i>Seiurus aurocapillus</i>	3	50-100	S	
Pileated Woodpecker	<i>Dryocopus pileatus</i>	2	>100	S, D	
Red-eyed Vireo	<i>Vireo olivaceus</i>	3	50-100	S	
Ruby-crowned Kinglet	<i>Regulus calendula</i>	4	50-100	S	DNR Yellow
Swainson's Thrush	<i>Catharus ustulatus</i>	2	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	1	50-100	S	
Point Count #19					
Easting:	392942.22	Northing:	4954811.46		
Date:	40715	Time:	0.222222222		
Habitat:	mixed forest on edge of cutbl	Temperature:	8 °C		
Wind speed:	< 5 km	Cloud cover:	0.5		
Precipitation:	0	Visibility:	0.8		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Black-and-white Warbler	<i>Empidonax alnorum</i>	6	50-100	S	
American Redstart	<i>Setophaga ruticilla</i>	2	50	S	
Black-and-white Warbler	<i>Mniotilta varia</i>	2	50	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	8	50-100	S	

Appendix C Point Count Results

Dark-eyed Junco	<i>Junco hyemalis</i>	6	50-100	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	4	50-100	S	
Ovenbird	<i>Seiurus aurocapillus</i>	6	50-100	S	
Red-breasted Nuthatch	<i>Sitta canadensis</i>	1	50	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	1	50	S	
Ruby-crowned Kinglet	<i>Regulus calendula</i>	2	50-100	S	DNR Yellow
White-throated Sparrow	<i>Zonotricha albicollis</i>	8	50-100	S	
Winter Wren	<i>Troglodytes troglodytes</i>	2	50	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	2	50-100	S	
Point Count #20					
Easting:	394873.91	Northing:	4954072.76		
Date:	40715	Time:	0.204861111		
Habitat:	at on edge of mature softwood	Temperature:	8 °C		
Wind speed:	< 5 km	Cloud cover:	0.15		
Precipitation:	0	Visibility:	0.8		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Redstart	<i>Setophaga ruticilla</i>	2	50	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	12	0-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	10	0-100	S	
Hairy Woodpecker	<i>Picoides villosus</i>	1	50	S	
Hermit Thrush	<i>Catharus guttatus</i>	12	50-100	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	8	50-100	S	
Ovenbird	<i>Seiurus aurocapillus</i>	2	50-100	S	
Swainson's Thrush	<i>Catharus ustulatus</i>	4	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	15	0-100	S	
Winter Wren	<i>Troglodytes troglodytes</i>	2	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	6	50-100	S	
Point Count #1					
Easting:	398589.33	Northing:	4960349.86		
Date:	40729	Time:	0.284722222		
Habitat:	Open, mixed forest	Temperature:	12 °C		
Wind speed:	< 5 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.5	(Still foggy)	
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	<i>Turdus migratorius</i>	1	50-100	S	
American Redstart	<i>Setophaga ruticilla</i>	1	<50	S	
Black-capped Chickadee	<i>Poecile atricapillus</i>	2	50-100	S	
Black-throated Green Warbler	<i>Dendroica virens</i>	4	50-100	S	
Blue-headed Vireo	<i>Vireo solitarius</i>	2	<50	S	
Boreal Chickadee	<i>Poecile hudsonicus</i>	2	<50	S	DNR Yellow
Common Yellowthroat	<i>Geothlypis trichas</i>	2	<50	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	50-100	S	
Hermit Thrush	<i>Catharus guttatus</i>	3	50-100+	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	2	50-100	S	
Northern Parula	<i>Parula americana</i>	1	<50	S	
Swainson's Thrush	<i>Catharus ustulatus</i>	1	<50	S	

Appendix C Point Count Results

White-throated Sparrow	Zonotricha albicollis	4	50-100	S	
Yellow-rumped Warbler	Dendroica coronata	1	50-100	S	
Point Count #2					
Easting:	399027.71	Northing:	4959469.97		
Date:	40729	Time:	0.298611111		
Habitat:	Open, mixed forest	Temperature:	13 °C		
Wind speed:	< 5 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.6		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Black-and-white Warbler	Mniotilta varia	2	50-100	S	
Black-throated Green Warbler	Dendroica virens	6	50-100	S	
Blue-headed Vireo	Vireo solitarius	2	50-100	S	
Common Yellowthroat	Geothlypis trichas	2	<50	A	
Dark-eyed Junco	Junco hyemalis	2	<50	A	
Hairy Woodpecker	Picoides villosus	1	>100	S, D	
Hermit Thrush	Catharus guttatus	4	50-100+	S	
Northern Parula	Parula americana	3	<50	S	
Ovenbird	Seiurus aurocapillus	1	50-100	S	
Red-breasted Nuthatch	Sitta canadensis	1	0-100	S	
Red-eyed Vireo	Vireo olivaceus	1	>100	S	
Swainson's Thrush	Catharus ustulatus	1	50-100	S	
White-throated Sparrow	Zonotricha albicollis	2	50-100	S	
Winter Wren	Troglodytes troglodytes	2	<50	S	
Yellow-bellied Flycatcher	Empidonax flaviventris	1	50-100	S	DNR Yellow
Point Count #3					
Easting:	398983.92	Northing:	4958293.44		
Date:	40729	Time:	0.3125		
Habitat:	~30 year old softwood stand	Temperature:	15 °C		
Wind speed:	< 5 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.8		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Redstart	Setophaga ruticilla	2	<50	S	
American Robin	Turdus migratorius	1	<50	S	
Black-capped Chickadee	Poecile atricapillus	1	50-100	S	
Black-throated Green Warbler	Dendroica virens	6	0-100	S	
Blue-headed Vireo	Vireo solitarius	1	50-100	S	
Common Yellowthroat	Geothlypis trichas	2	<50	S	
Dark-eyed Junco	Junco hyemalis	2	<50	S	
Golden-crowned Kinglet	Regulus satrapa	2	<50	S	DNR Yellow
Northern Parula	Parula americana	1	<50	S	
Ovenbird	Seiurus aurocapillus	3	50-100	S	
Red-breasted Nuthatch	Sitta canadensis	3	50-100+	S	
Red-eyed Vireo	Vireo olivaceus	2	50-100	S	
Red-tailed Hawk	Buteo jamaicensis	1	>100	S	
Point Count #4					
Easting:	399074.07	Northing:	4956955.37		

Appendix C Point Count Results

Date:	40729	Time:	0.326388889		
Habitat:	~20 year hardwood stand	Temperature:	12 °C		
Wind speed:	< 5 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.8		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Crow	Corvus brachyrhynchos	1	>100	S	
American Goldfinch	Spinus tristis	4	50-100	S	
American Redstart	Setophaga ruticilla	2	<50	S	
American Robin	Turdus migratorius	4	<50	S	
Black-backed Woodpecker	Picoides arcticus	1	>100	D	DNR Yellow
Blue Jay	Cyanocitta cristata	1	>100	S	
Blue-headed Vireo	Vireo solitarius	2	<50	S	
Common Loon	Gavia immer	2	50-100	S	DNR Red
Northern Parula	Parula americana	3	<50	Nest	
Ovenbird	Seiurus aurocapillus	2	50-100	S	
White-throated Sparrow	Zonotricha albicollis	2	50-100	S	
Yellow-bellied Flycatcher	Empidonax flaviventris	2	<50	S	DNR Yellow
Point Count #5					
Easting:	399067.95	Northing:	4956216.58		
Date:	40729	Time:	0.350694444		
Habitat:	Regenerating mixed stand	Temperature:	15 °C		
Wind speed:	< 5 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.9		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Black-and-white Warbler	Mniotilta varia	1	<50	S	
Blue-headed Vireo	Vireo solitarius	1	>100	S	
Cedar Waxwing	Bombcilla dendrorum	4	<50	S	
Common Loon	Gavia immer	2	>100	Flyover	DNR Red
Common Merganser	Mergus merganser	1	50-100	Flyover	
Common Yellowthroat	Geothlypis trichas	4	0-100	S	
Dark-eyed Junco	Junco hyemalis	2	50-100	S	
Downy Woodpecker	Picoides pubescens	1	<50	S	
Gray Jay	Perisoreus canadensis	2	50-100	S	DNR Yellow
Hermit Thrush	Catharus guttatus	3	50-100+	S	
Northern Flicker	Colaptes auratus	1	50-100	S	
Ovenbird	Seiurus aurocapillus	2	50-100	S	
Red-breasted Nuthatch	Sitta canadensis	1	<50	S	
Red-eyed Vireo	Vireo olivaceus	4	0-100+	S	
White-throated Sparrow	Zonotricha albicollis	6	50-100+	S	
Yellow-rumped Warbler	Dendroica coronata	2	50-100	S	
Point Count #6					
Easting:	396132.19	Northing:	4961480.42		
Date:	40730	Time:	0.298611111		
Habitat:	Open, mixed forest	Temperature:	15 °C		
Wind speed:	10 km/h	Cloud cover:	0.5		
Precipitation:	0	Visibility:	1		

Appendix C Point Count Results

Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Crow	Corvus brachyrhynchos	1	>100	S	
American Redstart	Setophaga ruticilla	2	<50	S	
Black-capped Chickadee	Poecile atricapillus	10	0-100	S	
Boreal Chickadee	Poecile hudsonicus	4	50-100	S	DNR Yellow
Common Grackle	Quiscalus quiscula	1	<50	S	
Common Yellowthroat	Geothlypis trichas	8	0-100	S	
Downy Woodpecker	Picoides pubescens	1	<50	S, D	
Hermit Thrush	Catharus guttatus	8	0-100+	S	
Magnolia Warbler	Dendroica magnolia	4	50-100	S	
Northern Flicker	Colaptes auratus	1	<50	S	
Palm Warbler	Dendroica palmora	6	0-100	S	
Swainson's Thrush	Catharus ustulatus	2	50-100	S	
White-throated Sparrow	Zonotricha albicollis	2	<50	S	
Yellow-rumped Warbler	Dendroica coronata	6	0-100	S	
Point Count #7					
Easting:	393720.91	Northing:	4961296.04		
Date:	40730	Time:	0.267361111		
Habitat:	~30 year old mixed stand	Temperature:	15 °C		
Wind speed:	< 5 km/h	Cloud cover:	0.3		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	Turdus migratorius	2	50-100	S	
Black-capped Chickadee	Poecile atricapillus	2	<50	S	
Black-throated Green Warbler	Dendroica virens	2	<50	S	
Dark-eyed Junco	Junco hyemalis	2	<50	S	
Hermit Thrush	Catharus guttatus	4	50-100	S	
Magnolia Warbler	Dendroica magnolia	2	<50	S	
Mourning Dove	Zenaida macroura	1	>100	S	
Ovenbird	Seiurus aurocapillus	3	0-100	S	
Red-eyed Vireo	Vireo olivaceus	1	50-100	S	
Ruby-crowned Kinglet	Regulus calendula	1	50-100	S	DNR Yellow
Swainson's Thrush	Catharus ustulatus	1	50-100	S	
Point Count #8					
Easting:	394066.03	Northing:	4959423.97		
Date:	40730	Time:	0.253472222		
Habitat:	~30 year old mixed stand	Temperature:	12 °C		
Wind speed:	< 5 km/h	Cloud cover:	0.4		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Black-and-white Warbler	Mniotilta varia	1	<50	S	
Black-throated Green Warbler	Dendroica virens	3	50-100	S	
Common Yellowthroat	Geothlypis trichas	1	50-100	S	
Dark-eyed Junco	Junco hyemalis	2	<50	S	
Hermit Thrush	Catharus guttatus	3	50-100+	S	

Appendix C Point Count Results

Ovenbird	<i>Seiurus aurocapillus</i>	1	<50	S	
Red-breasted Nuthatch	<i>Sitta canadensis</i>	1	>100	S	
Swainson's Thrush	<i>Catharus ustulatus</i>	1	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	1	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	1	<50	S	
Point Count #9					
Easting:	395052.26	Northing:	4959434.92		
Date:	40730	Time:	0.239583333		
Habitat:	Open, mixed forest	Temperature:	12 °C		
Wind speed:	< 10 km	Cloud cover:	0.3		
Precipitation:	0	Visibility:	1		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Crow	<i>Corvus brachyrhynchos</i>	2	>100	S	
American Redstart	<i>Setophaga ruticilla</i>	1	<50	S	
Black-capped Chickadee	<i>Poecile atricapillus</i>	2	50-100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	2	<50	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	<50	Nest, A	
Hermit Thrush	<i>Catharus guttatus</i>	4	50-100+	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	1	50-100	S	
Red-breasted Nuthatch	<i>Sitta canadensis</i>	1	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	4	50-100+	S	
Winter Wren	<i>Troglodytes troglodytes</i>	1	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	1	<50	S	
Point Count #10					
Easting:	394331.74	Northing:	4958077.24		
Date:	40730	Time:	0.21875		
Habitat:	Open, mixed forest	Temperature:	10 °C		
Wind speed:	10 km/h	Cloud cover:	0.3		
Precipitation:	0	Visibility:	0.9		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	<i>Turdus migratorius</i>	2	<50	S	
Black-capped Chickadee	<i>Poecile atricapillus</i>	4	50-100	S	
Black-throated Green Warbler	<i>Dendroica virens</i>	6	50-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	<50	A, Nest with young	
Hermit Thrush	<i>Catharus guttatus</i>	2	>100	S	
Ovenbird	<i>Seiurus aurocapillus</i>	1	50-100	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	4	50-100+	S	
Ruffed Grouse	<i>Bonasa umbellus</i>	1	<50	S, D	
White-throated Sparrow	<i>Zonotricha albicollis</i>	2	50-100	S	
Point Count #11					
Easting:	392651.79	Northing:	4959482.74		
Date:	40729	Time:	0.232638889		
Habitat:	~30 year old mixed stand	Temperature:	13 °C		
Wind speed:	< 5 km/h	Cloud cover:	1		

Appendix C Point Count Results

Precipitation:	0	Visibility:	0.5		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	Turdus migratorius	1	50-100	S	
Black-and-white Warbler	Mniotilta varia	4	50-100	S	
Black-capped Chickadee	Poecile atricapillus	6	50-100+	S	
Blackburnian Warbler	Dendroica fusca	2	50-100	S	
Common Yellowthroat	Geothlypis trichas	2	50-100	S	
Hermit Thrush	Catharus guttatus	4	50-100+	S	
Magnolia Warbler	Dendroica magnolia	2	50-100	S, with young	
Olive-sided Flycatcher	Contopus cooperi	3	>100	S	COSEWIC Threatened, SARA Threatened, DNR Red
Swainson's Thrush	Catharus ustulatus	2	50-100+	S	
White-throated Sparrow	Zonotricha albicollis	2	<50	S, with young	
Yellow-bellied Flycatcher	Empidonax flaviventris	1	50-100	S	DNR Yellow
Point Count #12					
Easting:	392845.37	Northing:	4958760.94		
Date:	40729	Time:	0.215277778		
Habitat:	~30 year hardwood stand	Temperature:	12 °C		
Wind speed:	< 5 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Redstart	Setophaga ruticilla	1	<50	S	
American Robin	Turdus migratorius	2	50-100	S	
Black-throated Green Warbler	Dendroica virens	4	50-100	S	
Common Yellowthroat	Geothlypis trichas	4	<50	S	
Hermit Thrush	Catharus guttatus	3	50-100+	S	
Magnolia Warbler	Dendroica magnolia	1	50-100	S	
Ovenbird	Seiurus aurocapillus	3	50-100	S	
Red-eyed Vireo	Vireo olivaceus	3	50-100	S	
Spruce Grouse	Falcapennis canadensis	1	>100	S	
Swainson's Thrush	Catharus ustulatus	1	50-100	S	
White-throated Sparrow	Zonotricha albicollis	2	50-100	S	
Winter Wren	Troglodytes troglodytes	1	<50	S	
Point Count #13					
Easting:	393278.41	Northing:	4958381.07		
Date:	40729	Time:	0.201388889		
Habitat:	~25 year old mixed forest	Temperature:	12 °C		
Wind speed:	< 5 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status

Appendix C Point Count Results

Alder Flycatcher	<i>Empidonax alnorum</i>	3	50-100	S	
American Robin	<i>Turdus migratorius</i>	4	50-100	S	
Black-capped Chickadee	<i>Poecile atricapillus</i>	2	50-100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	4	50-100	S	
Hermit Thrush	<i>Catharus guttatus</i>	8	50-100+	S	
Ruby-crowned Kinglet	<i>Regulus calendula</i>	1	>100	S	DNR Yellow
Swainson's Thrush	<i>Catharus ustulatus</i>	1	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	3	>100	S	
Point Count #14					
Easting:	391589.53	Northing:	4959986.01		
Date:	40728	Time:	0.305555556		
Habitat:	Marshy regenerating fir stand	Temperature:	15 °C		
Wind speed:	15 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Black-capped Chickadee	<i>Poecile atricapillus</i>	2	50-100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	4	50-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	<50	S	
Hermit Thrush	<i>Catharus guttatus</i>	4	50-100	S	
Olive-sided Flycatcher	<i>Contopus cooperi</i>	1	>100	S	COSEWIC Threatened, SARA Threatened, DNR Red
Palm Warbler	<i>Dendroica palmora</i>	3	50-100	S	
Swainson's Thrush	<i>Catharus ustulatus</i>	1	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	1	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	2	50-100	S	
Point Count #15					
Easting:	390979.48	Northing:	4959115.73		
Date:	4	Time:	0.291666667		
Habitat:	Regenerating mixed stand	Temperature:	15 °C		
Wind speed:	15 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Goldfinch	<i>Spinus tristis</i>	4	50-100	S	
American Robin	<i>Turdus migratorius</i>	1	<50	S	
Cedar Waxwing	<i>Bombocilla dendrorum</i>	8	<50	FG	
Common Yellowthroat	<i>Geothlypis trichas</i>	4	50-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	<50	FG	
Ovenbird	<i>Seiurus aurocapillus</i>	1	50-100	S	
Palm Warbler	<i>Dendroica palmora</i>	1	50-100	S	
Song Sparrow	<i>Melospiza melodia</i>	1	50-100	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	2	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	4	<50	FG	

Appendix C Point Count Results

Point Count #16					
Easting:	391759.79	Northing:	4956528.71		
Date:	40728	Time:	0.267361111		
Habitat:	ure softwood on edge of cle	Temperature:	15 °C		
Wind speed:	10 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Crow	Corvus brachyrhynchos	1	>100	S	
American Redstart	Setophaga ruticilla	2	50-100	S	
Black-throated Green Warbler	Dendroica virens	2	50-100	S	
Blue Jay	Cyanocitta cristata	1	50-100	S	
Chestnut-sided Warbler	Dendroica pensulvanica	1	50-100	S	
Common Raven	Corvus corax	2	>100	S	
Common Yellowthroat	Geothlypis trichas	2	<50	S	
Dark-eyed Junco	Junco hyemalis	1	<50	S	
Hermit Thrush	Catharus guttatus	4	50-100+	S	
Magnolia Warbler	Dendroica magnolia	1	50-100	S	
Mourning Dove	Zenaida macroura	1	>100	S	
Olive-sided Flycatcher	Contopex cooperi	1	50-100	S	COSEWIC Threatened, SARA Threatened, DNR Red
Red-eyed Vireo	Vireo olivaceus	1	50-100	S	
Swainson's Thrush	Catharus ustulatus	1	<50	S	
White-throated Sparrow	Zonotricha albicollis	2	50-100	S	
Winter Wren	Troglodytes troglodytes	2	50-100	S	
Yellow-bellied Flycatcher	Empidonax flaviventris	2	50-100	S	DNR Yellow
Point Count #17					
Easting:	392446.59	Northing:	4956839.76		
Date:	40728	Time:	0.253472222		
Habitat:	~20 year softwood stand	Temperature:	15 °C		
Wind speed:	10 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Common Yellowthroat	Geothlypis trichas	2	<50	S	
Dark-eyed Junco	Junco hyemalis	2	<50	S	
Gray Jay	Perisoreus canadensis	2	<50	S	
Hairy Woodpecker	Picoides villosus	1	50-100	S, D	
Hermit Thrush	Catharus guttatus	6	50-100+	S	
Magnolia Warbler	Dendroica magnolia	1	50-100	S	
Ovenbird	Seiurus aurocapillus	1	50-100	S	
Palm Warbler	Dendroica palmora	1	50-100	S	
Red-eyed Vireo	Vireo olivaceus	1	50-100	S	
Song Sparrow	Melospiza melodia	1	50-100	S	
Winter Wren	Troglodytes troglodytes	1	50-100	S	
Yellow-bellied Flycatcher	Empidonax flaviventris	1	50-100	S	DNR Yellow
Yellow-rumped Warbler	Dendroica coronata	2	50-100	S	

Appendix C Point Count Results

Point Count #18					
Easting:	392716.94	Northing:	4955659.67		
Date:	40728	Time:	0.243055556		
Habitat:	Mature mixed stand	Temperature:	15 °C		
Wind speed:	20 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Black-throated Blue Warbler	<i>Dendroica caerulescens</i>	1	<50	S	
Black-throated Green Warbler	<i>Dendroica virens</i>	2	<50	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	1	<50	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	2	50-100	S	
Hermit Thrush	<i>Catharus guttatus</i>	4	50-100+	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	3	50-100	S	
Northern Parula	<i>Parula americana</i>	1	50-100	S	
Ovenbird	<i>Seiurus aurocapillus</i>	4	50-100	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	2	50-100	S	
Swainson's Thrush	<i>Catharus ustulatus</i>	1	<50	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	2	50-100	S	
Winter Wren	<i>Troglodytes troglodytes</i>	1	<50	S	
Yellow-bellied Sapsucker	<i>Sphyrapicus varius</i>	1	<50	S	
Point Count #19					
Easting:	392942.22	Northing:	4954811.46		
Date:	40728	Time:	0.229166667		
Habitat:	ixed forest on edge of cutblo	Temperature:	15 °C		
Wind speed:	15 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		
Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
Alder Flycatcher	<i>Empidonax alnorum</i>	4	50-100	S	
Black-throated Blue Warbler	<i>Dendroica caerulescens</i>	2	<50	S	
Blue-headed Vireo	<i>Vireo solitarius</i>	1	<50	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	6	50-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	6	50-100	S	
Eastern Wood Pewee	<i>Contopus virens</i>	1	>100	S	DNR Yellow
Hermit Thrush	<i>Catharus guttatus</i>	2	50-100	S	
Northern Parula	<i>Parula americana</i>	1	<50	S	
Ovenbird	<i>Seiurus aurocapillus</i>	3	50-100	S	
Palm Warbler	<i>Dendroica palmora</i>	2	50-100	S	
Red-eyed Vireo	<i>Vireo olivaceus</i>	1	<50	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	4	50-100	S	
Point Count #20					
Easting:	394873.91	Northing:	4954072.76		
Date:	40728	Time:	0.215277778		
Habitat:	t on edge of mature softwood	Temperature:	15 °C		
Wind speed:	< 10 km/h	Cloud cover:	1		
Precipitation:	0	Visibility:	0.3		

Appendix C Point Count Results

Species		Number of Individuals	Distance to bird	Breeding evidence	Conservation Status
American Robin	<i>Turdus migratorius</i>	1	50-100	S	
Blackburnian Warbler	<i>Dendroica fusca</i>	2	50-100	S	
Common Yellowthroat	<i>Geothlypis trichas</i>	2	50-100	S	
Dark-eyed Junco	<i>Junco hyemalis</i>	4	50-100	S	
Hermit Thrush	<i>Catharus guttatus</i>	8	50-100+	S	
Magnolia Warbler	<i>Dendroica magnolia</i>	1	50-100	S	
Olive-sided Flycatcher	<i>Contopus cooperi</i>	2	>100	S	COSEWIC Threatened, SARA Threatened, DNR Red
Swainson's Thrush	<i>Catharus ustulatus</i>	2	50-100	S	
Swamp Sparrow	<i>Melospiza georgiana</i>	1	<50	S	
White-throated Sparrow	<i>Zonotricha albicollis</i>	6	50-100+	S	
Winter Wren	<i>Troglodytes troglodytes</i>	2	50-100	S	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	2	50-100	S	

Appendix C: Area Search Results



Figure 1. Area search routes at North Canoe Lake. Squares represent track surveyed on 20 June 2011, while circles represent track surveyed on 6 July 2011.

Appendix C: Area Search Results

Table 1. Bird survey results from North Canoe Lake area searches.

North Canoe Lake Area Search

		Date:	20. Jun. 2011	6. Jul. 2011	
		Start Time:	12:00 PM	10:00 AM	
		End Time:	02:00 PM	12:00 PM	
		Temperature:	15 °C	25 °C	
		Cloud:	20%	0%	
		Visibility:	100%	100%	
		Wind speed:	10-30 km/h	10-30 km/h	
Species		# Observed 20 June	# Observed 6 July	Conservation Status	
Alder Flycatcher	<i>Empidonax alnorum</i>	1	1		
American Crow	<i>Corvus brachyrhynchos</i>	0	2		
American Goldfinch	<i>Spinus tristis</i>	0	14		
American Redstart	<i>Setophaga ruticilla</i>	2	10		
American Robin	<i>Turdus migratorius</i>	2	8		
Bald Eagle	<i>Haliaeetus leucocephalus</i>	1	0		
Bay-breasted Warbler	<i>Dendroica castanea</i>	1	4	DNR Yellow	
Black-and-white Warbler	<i>Mniotilta varia</i>	0	6		
Black-capped Chickadee	<i>Poecile atricapillus</i>	4	16		
Black-throated Green Warbler	<i>Dendroica virens</i>	12	14		
Blackburnian Warbler	<i>Dendroica fusca</i>	0	18		
Blue Jay	<i>Cyanocitta cristata</i>	1	0		
Blue-headed Vireo	<i>Vireo solitarius</i>	0	6		
Cedar Waxwing	<i>Bombycilla dendrorum</i>	0	4		
Chestnut-sided Warbler	<i>Dendroica pensylvanica</i>	0	5		
Common Loon	<i>Gavia immer</i>	1	0	DNR Red	
Common Merganser	<i>Mergus merganser</i>	16	0		
Common Raven	<i>Corvus corax</i>	0	2		
Common Yellowthroat	<i>Geothlypis trichas</i>	0	14		
Dark-eyed Junco	<i>Junco hyemalis</i>	2	0		
Golden-crowned Kinglet	<i>Regulus satrapa</i>	8	8	DNR Yellow	
Hairy Woodpecker	<i>Picoides villosus</i>	0	4		
Hermit Thrush	<i>Catharus guttatus</i>	2	14		
Magnolia Warbler	<i>Dendroica magnolia</i>	4	8		
Northern Flicker	<i>Colaptes auratus</i>	3	4		
Northern Parula	<i>Parula americana</i>	0	8		
Olive-sided Flycatcher	<i>Contopus cooperi</i>	0	1	COSEWIC Threatened, SARA Threatened, DNR Red	
Ovenbird	<i>Seiurus aurocapillus</i>	0	7		
Palm Warbler	<i>Dendroica palmora</i>	2	6		
Purple Finch	<i>Carpodacus purpureus</i>	1	0		
Red-eyed Vireo	<i>Vireo olivaceus</i>	3	10		
Red-tailed Hawk	<i>Buteo jamaicensis</i>	1	0		
Swainson's Thrush	<i>Catharus ustulatus</i>	0	3		
White-throated Sparrow	<i>Zonotricha albicollis</i>	0	8		
Wilson's Warbler	<i>Wilsonia pusilla</i>	1	0	DNR Yellow	
Yellow Warbler	<i>Dendroica petechia</i>	0	2		
Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i>	1	5	DNR Yellow	

Appendix C: Area Search Results




Figure 2. Area search routes at Card Lake. Squares represent track surveyed on 21 June 2011, while circles represent track surveyed on 5 July 2011.

Appendix C: Area Search Results

Table 2. Bird survey results from Card Lake area searches.

Card Lake Area Search		Date:	21. Jun. 2011	5. Jul. 2011	
		Start Time:	11:00 AM	09:00 AM	
		End Time:	01:00 AM	11:00 AM	
		Temperature:	19 °C	20 to 25 °C	
		Cloud:	30%	100%	
		Visibility:	100%	100%	
		Wind speed:	10-20 km	< 5 km/h	
Species		# Observed 21 June	# Observed 5 July		Conservation Status
American Crow	<i>Corvus brachyrhynchos</i>	4	12		
American Goldfinch	<i>Spinus tristis</i>	0	9		
American Redstart	<i>Setophaga ruticilla</i>	4	6		
American Robin	<i>Turdus migratorius</i>	0	22		
Bay-breasted Warbler	<i>Dendroica castanea</i>	1	0		DNR Yellow
Black-and-white Warbler	<i>Mniotilta varia</i>	3	2		
Black-capped Chickadee	<i>Poecile atricapillus</i>	2	4		
Black-throated Green Warbler	<i>Dendroica virens</i>	10	8		
Blackburnian Warbler	<i>Dendroica fusca</i>	0	6		
Blue-headed Vireo	<i>Vireo solitarius</i>	0	6		
Boreal Chickadee	<i>Poecile hudsonicus</i>	0	2		DNR Yellow
Cedar Waxwing	<i>Bombycilla dendrorum</i>	6	0		
Chestnut-sided Warbler	<i>Dendroica pensylvanica</i>	2	2		
Common Loon	<i>Gavia immer</i>	1	2		DNR Red
Common Merganser	<i>Mergus merganser</i>	0	4		
Common Raven	<i>Corvus corax</i>	2	6		
Common Yellowthroat	<i>Geothlypis trichas</i>	6	23		
Dark-eyed Junco	<i>Junco hyemalis</i>	2	6		
Downy Woodpecker	<i>Picoides pubescens</i>	0	1		
	<i>Coccothraustes</i>				
Evening Grosbeak	<i>vespertinus</i>	0	2		
Golden-crowned Kinglet	<i>Regulus satrapa</i>	12	12		DNR Yellow
Hairy Woodpecker	<i>Picoides villosus</i>	0	3		
Hermit Thrush	<i>Catharus guttatus</i>	0	14		
Herring Gull	<i>Larus argentatus</i>	0	2		
Magnolia Warbler	<i>Dendroica magnolia</i>	4	6		
Northern Flicker	<i>Colaptes auratus</i>	1	3		
Northern Parula	<i>Parula americana</i>	5	9		
Ovenbird	<i>Seiurus aurocapillus</i>	4	0		
Purple Finch	<i>Carpodacus purpureus</i>	1	0		
Red-breasted Nuthatch	<i>Sitta canadensis</i>	0	6		
Red-eyed Vireo	<i>Vireo olivaceus</i>	6	8		
Ruby-crowned Kinglet	<i>Regulus calendula</i>	2	0		DNR Yellow
Song Sparrow	<i>Melospiza melodia</i>	2	16		
Spotted Sandpiper	<i>Actitis macularia</i>	2	6		DNR Yellow
Swainson's Thrush	<i>Catharus ustulatus</i>	0	3		
Swamp Sparrow	<i>Melospiza georgiana</i>	2	4		
Tree Swallow	<i>Tachycineta bicolor</i>	0	12		DNR Yellow
White-throated Sparrow	<i>Zonotricha albicollis</i>	4	12		
Winter wren	<i>Troglodytes troglodytes</i>	0	1		
Yellow Warbler	<i>Dendroica petechia</i>	0	4		
Yellow-rumped Warbler	<i>Dendroica coronata</i>	8	0		
Totals		41	96		

Appendix C: Area Search Results




Figure 3. Area search routes at South Canoe Lake. Squares represent track surveyed on 22 June 2011, while circles represent track surveyed on 6 July 2011.

Appendix C: Area Search Results

Table 3. Bird survey results from South Canoe Lake area searches.

South Canoe Lake Area Search		-			
	Date:	22. Jun. 2011	6. Jul. 2011		
	Start Time:	06:30 AM	07:30 AM		
	End Time:	10:00 AM	09:30 AM		
	Temperature:	12 °C	15 to 20 °C		
	Cloud:	60%	50%		
	Visibility:	100%	100%		
	Wind speed:	5-30 km	10 km/h		
Species		# Observed 22 June	# Observed 6 July	Conservation Status	
American Crow	<i>Corvus brachyrhynchos</i>	1	13		
American Goldfinch	<i>Spinus tristis</i>	0	14		
American Redstart	<i>Setophaga ruticilla</i>	0	6		
American Robin	<i>Turdus migratorius</i>	1	18		
Bay-breasted Warbler	<i>Dendroica castanea</i>	1	6	DNR Yellow	
Black-and-white Warbler	<i>Mniotilta varia</i>	0	7		
Black-capped Chickadee	<i>Poecile atricapillus</i>	8	30		
Black-throated Blue Warbler	<i>Dendroica caerulescens</i>	1	0		
Black-throated Green Warbler	<i>Dendroica virens</i>	16	0		
Blackburnian Warbler	<i>Dendroica fusca</i>	0	14		
Blue Jay	<i>Cyanocitta cristata</i>	0	2		
Blue-headed Vireo	<i>Vireo solitarius</i>	2	6		
Boreal Chickadee	<i>Poecile hudsonicus</i>	0	8	DNR Yellow	
Cedar Waxwing	<i>Bombycilla dendrorum</i>	0	6		
Chestnut-sided Warbler	<i>Dendroica pensylvanica</i>	0	2		
Common Grackle	<i>Quiscalus quiscula</i>	0	1		
Common Loon	<i>Gavia immer</i>	4	4	DNR Red	
Common Raven	<i>Corvus corax</i>	0	2		
Common Yellowthroat	<i>Geothlypis trichas</i>	9	22		
Dark-eyed Junco	<i>Junco hyemalis</i>	8	6		
Downy Woodpecker	<i>Picoides pubescens</i>	0	2		
Golden-crowned Kinglet	<i>Regulus satrapa</i>	18	22	DNR Yellow	
Hairy Woodpecker	<i>Picoides villosus</i>	1	3		
Hermit Thrush	<i>Catharus guttatus</i>	1	12		
Herring Gull	<i>Larus argentatus</i>	0	2		
Magnolia Warbler	<i>Dendroica magnolia</i>	8	0		
Mourning Dove	<i>Zenaida macroura</i>	2	0		
Northern Flicker	<i>Colaptes auratus</i>	2	4		
Northern Parula	<i>Parula americana</i>	3	2		
Ovenbird	<i>Seiurus aurocapillus</i>	0	10		
Palm Warbler	<i>Dendroica palmora</i>	0	8		
Pileated Woodpecker	<i>Dryocopus pileatus</i>	0	1		
Purple Finch	<i>Carpodacus purpureus</i>	1	0		
Red-eyed Vireo	<i>Vireo olivaceus</i>	1	12		
Red-tailed Hawk	<i>Buteo jamaicensis</i>	1	0		
Song Sparrow	<i>Melospiza melodia</i>	0	17		
Spotted Sandpiper	<i>Actitis macularia</i>	6	8	DNR Yellow	
Swainson's Thrush	<i>Catharus ustulatus</i>	0	7		
Swamp Sparrow	<i>Melospiza georgiana</i>	0	4		
Tree Swallow	<i>Tachycineta bicolor</i>	0	16	DNR Yellow	
White-throated Sparrow	<i>Zonotricha albicollis</i>	5	22		
Winter wren	<i>Troglodytes troglodytes</i>	3	0		
Yellow Warbler	<i>Dendroica petechia</i>	0	2		
Yellow-bellied Flycatcher	<i>Empidonax flaviventris</i>	2	0	DNR Yellow	
Yellow-rumped Warbler	<i>Dendroica coronata</i>	8	11		
Totals		45	113	332	